


# オールテレーンクレーン ATF400G-6

ブーム  
PS+ブーム




PS : Power System

# ブーム PS+ブーム

## ■ (PS+)ブーム 作業半径－揚程図

ブーム  
PS+ブーム



(注意)

◆ 上図はブームのたわみを含んでいません。

## ■ ブーム 定格総荷重表

カウンタウエイト 138t、アウトリガ張出幅 8.5m

ブーム

単位:t

| ブーム長さ(m)<br>作業半径(m) | ※15.0 | 15.0  | 20.1  | 25.1  | 30.2  | 35.3 | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |
|---------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 2.7                 | 400.0 |       |       |       |       |      |      |      |      |      |      |
| 3.0                 | 360.0 |       |       |       |       |      |      |      |      |      |      |
| 3.5                 | 307.0 |       |       |       |       |      |      |      |      |      |      |
| 4.0                 | 264.6 |       |       |       |       |      |      |      |      |      |      |
| 4.5                 | 230.0 |       |       |       |       |      |      |      |      |      |      |
| 6.0                 |       | 164.5 |       |       |       |      |      |      |      |      |      |
| 7.0                 |       | 147.7 | 147.4 |       |       |      |      |      |      |      |      |
| 8.0                 |       | 133.7 | 133.3 | 132.6 |       |      |      |      |      |      |      |
| 9.0                 |       | 121.0 | 120.7 | 120.0 | 109.9 | 86.4 |      |      |      |      |      |
| 10.0                |       | 110.4 | 110.0 | 109.3 | 102.7 | 81.1 | 72.4 | 65.6 | 54.3 | 45.0 | 34.5 |
| 11.0                |       | 101.3 | 100.9 | 100.5 | 96.4  | 76.4 | 67.0 | 62.3 | 54.1 | 45.0 | 34.5 |
| 12.0                |       | 87.8  | 93.0  | 92.9  | 90.8  | 72.3 | 62.3 | 59.3 | 51.0 | 44.5 | 34.5 |
| 14.0                |       |       | 80.1  | 80.0  | 80.1  | 65.3 | 54.5 | 52.5 | 45.7 | 40.4 | 34.5 |
| 16.0                |       |       | 67.5  | 69.8  | 70.0  | 59.5 | 48.3 | 46.6 | 41.3 | 36.9 | 31.3 |
| 18.0                |       |       | 44.0  | 61.7  | 61.8  | 54.8 | 43.3 | 41.8 | 37.7 | 33.9 | 28.9 |
| 20.0                |       |       |       | 54.7  | 55.0  | 50.8 | 39.1 | 37.8 | 34.7 | 31.4 | 26.5 |
| 22.0                |       |       |       | 42.6  | 49.3  | 47.4 | 35.5 | 34.1 | 32.0 | 29.0 | 24.8 |
| 24.0                |       |       |       |       | 44.2  | 44.4 | 32.3 | 31.0 | 29.8 | 27.0 | 23.3 |
| 26.0                |       |       |       |       | 38.1  | 41.4 | 29.5 | 28.7 | 27.4 | 25.1 | 22.1 |
| 28.0                |       |       |       |       | 25.7  | 37.9 | 27.1 | 26.3 | 25.1 | 23.5 | 21.1 |
| 30.0                |       |       |       |       |       | 32.7 | 25.0 | 24.3 | 23.1 | 22.1 | 20.2 |
| 32.0                |       |       |       |       |       | 25.7 | 23.1 | 22.5 | 21.3 | 20.8 | 18.9 |
| 34.0                |       |       |       |       |       |      | 21.5 | 20.9 | 19.8 | 19.3 | 17.8 |
| 36.0                |       |       |       |       |       |      | 20.1 | 19.5 | 18.4 | 17.9 | 16.7 |
| 38.0                |       |       |       |       |       |      | 15.5 | 18.2 | 17.1 | 16.7 | 15.5 |
| 40.0                |       |       |       |       |       |      |      | 17.1 | 16.0 | 15.6 | 14.5 |
| 42.0                |       |       |       |       |       |      |      | 16.1 | 15.0 | 14.6 | 13.6 |
| 44.0                |       |       |       |       |       |      |      |      | 14.1 | 13.7 | 12.7 |
| 46.0                |       |       |       |       |       |      |      |      | 13.3 | 12.8 | 11.9 |
| 48.0                |       |       |       |       |       |      |      |      | 12.1 | 12.1 | 11.2 |
| 50.0                |       |       |       |       |       |      |      |      |      | 11.4 | 10.6 |
| 52.0                |       |       |       |       |       |      |      |      |      | 10.8 | 10.0 |
| 54.0                |       |       |       |       |       |      |      |      |      |      | 9.4  |
| 56.0                |       |       |       |       |       |      |      |      |      |      | 8.9  |
| 58.0                |       |       |       |       |       |      |      |      |      |      | 5.8  |

※印は重荷重装置付き、後方限定の値です。

カウンタウエイト 98t、アウトリガ張出幅 8.5m

ブーム

単位:t

| ブーム長さ(m)<br>作業半径(m) | 15.0  | 20.1  | 25.1  | 30.2  | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |
|---------------------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 3.0                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 3.5                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 4.0                 | 200.0 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 4.5                 | 193.3 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 5.0                 | 181.2 | 170.0 | 162.0 | 139.0 | 123.4 |      |      |      |      |      |
| 6.0                 | 158.9 | 158.5 | 157.9 | 139.0 | 111.1 | 84.2 |      |      |      |      |
| 7.0                 | 140.8 | 140.4 | 139.7 | 127.9 | 99.7  | 84.2 | 71.6 |      |      |      |
| 8.0                 | 125.9 | 125.6 | 124.9 | 118.2 | 92.5  | 84.2 | 71.6 | 54.3 |      |      |
| 9.0                 | 113.7 | 113.3 | 113.2 | 109.9 | 86.4  | 78.7 | 69.4 | 54.3 | 45.0 |      |
| 10.0                | 103.3 | 102.9 | 102.9 | 102.7 | 81.1  | 72.4 | 65.6 | 54.3 | 45.0 | 34.5 |
| 11.0                | 94.3  | 93.8  | 93.8  | 94.0  | 76.4  | 67.0 | 62.3 | 54.1 | 45.0 | 34.5 |
| 12.0                | 86.3  | 85.8  | 85.7  | 85.9  | 72.3  | 62.3 | 59.3 | 51.0 | 44.5 | 34.5 |
| 14.0                |       | 72.9  | 72.9  | 73.0  | 65.3  | 54.5 | 52.5 | 45.7 | 40.4 | 34.5 |
| 16.0                |       | 62.4  | 63.2  | 62.4  | 59.5  | 48.3 | 46.6 | 41.3 | 36.9 | 31.3 |
| 18.0                |       | 44.0  | 53.3  | 52.4  | 53.6  | 43.3 | 41.8 | 37.7 | 33.9 | 28.9 |
| 20.0                |       |       | 45.8  | 46.2  | 46.0  | 39.1 | 37.8 | 34.7 | 31.4 | 26.5 |
| 22.0                |       |       | 40.0  | 40.9  | 40.0  | 35.5 | 34.1 | 32.0 | 29.0 | 24.8 |
| 24.0                |       |       |       | 36.2  | 35.3  | 32.3 | 31.0 | 29.8 | 27.0 | 23.3 |
| 26.0                |       |       |       | 32.4  | 31.4  | 29.5 | 28.7 | 27.4 | 25.1 | 22.1 |
| 28.0                |       |       |       | 25.7  | 28.1  | 27.1 | 26.3 | 25.1 | 23.5 | 21.1 |
| 30.0                |       |       |       |       | 25.4  | 24.6 | 24.3 | 23.1 | 22.1 | 20.2 |
| 32.0                |       |       |       |       | 23.2  | 22.3 | 22.5 | 21.3 | 20.8 | 18.9 |
| 34.0                |       |       |       |       |       | 20.2 | 20.9 | 19.8 | 19.3 | 17.8 |
| 36.0                |       |       |       |       |       | 18.5 | 19.2 | 18.4 | 17.9 | 16.7 |
| 38.0                |       |       |       |       |       | 15.5 | 17.6 | 17.1 | 16.7 | 15.5 |
| 40.0                |       |       |       |       |       |      | 16.2 | 16.0 | 15.6 | 14.5 |
| 42.0                |       |       |       |       |       |      | 15.0 | 14.9 | 14.6 | 13.6 |
| 44.0                |       |       |       |       |       |      |      | 13.7 | 13.7 | 12.7 |
| 46.0                |       |       |       |       |       |      |      | 12.9 | 12.8 | 11.9 |
| 48.0                |       |       |       |       |       |      |      | 12.1 | 12.1 | 11.2 |
| 50.0                |       |       |       |       |       |      |      |      | 11.2 | 10.6 |
| 52.0                |       |       |       |       |       |      |      |      | 10.5 | 10.0 |
| 54.0                |       |       |       |       |       |      |      |      |      | 9.4  |
| 56.0                |       |       |       |       |       |      |      |      |      | 8.9  |
| 58.0                |       |       |       |       |       |      |      |      |      | 5.8  |

## ■ ブーム 定格総荷重表

カウンタウエイト 58t、アウトリガ張出幅 8.5m

ブーム

単位:t

| ブーム長さ(m)<br>作業半径(m) | 15.0  | 20.1  | 25.1  | 30.2  | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |
|---------------------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 3.0                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 3.5                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 4.0                 | 199.6 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 4.5                 | 184.4 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 5.0                 | 171.1 | 170.0 | 162.0 | 139.0 | 123.4 |      |      |      |      |      |
| 6.0                 | 148.8 | 148.4 | 147.8 | 139.0 | 111.1 | 84.2 |      |      |      |      |
| 7.0                 | 130.5 | 130.0 | 130.0 | 127.9 | 99.7  | 84.2 | 71.6 |      |      |      |
| 8.0                 | 114.9 | 114.5 | 114.5 | 114.7 | 92.5  | 84.2 | 71.6 | 54.3 |      |      |
| 9.0                 | 102.3 | 101.9 | 101.8 | 102.1 | 86.4  | 78.7 | 69.4 | 54.3 | 45.0 |      |
| 10.0                | 91.0  | 90.5  | 91.6  | 90.7  | 81.1  | 72.4 | 65.6 | 54.3 | 45.0 | 34.5 |
| 11.0                | 77.9  | 77.3  | 78.4  | 77.5  | 76.4  | 67.0 | 62.3 | 54.1 | 45.0 | 34.5 |
| 12.0                | 67.4  | 66.8  | 67.9  | 67.2  | 68.4  | 62.3 | 59.3 | 51.0 | 44.5 | 34.5 |
| 14.0                |       | 54.0  | 53.7  | 54.3  | 53.4  | 52.8 | 52.5 | 45.7 | 40.4 | 34.5 |
| 16.0                |       | 44.0  | 44.5  | 44.2  | 43.3  | 42.7 | 43.2 | 41.3 | 36.9 | 31.3 |
| 18.0                |       | 37.0  | 37.2  | 36.9  | 36.1  | 35.4 | 36.3 | 36.4 | 33.9 | 28.9 |
| 20.0                |       |       | 31.8  | 31.5  | 30.6  | 29.9 | 30.8 | 30.8 | 31.3 | 26.5 |
| 22.0                |       |       | 27.6  | 27.1  | 26.2  | 25.5 | 26.4 | 27.5 | 26.8 | 24.8 |
| 24.0                |       |       |       | 23.6  | 22.7  | 22.4 | 23.5 | 23.9 | 23.3 | 23.3 |
| 26.0                |       |       |       | 21.6  | 19.8  | 20.8 | 21.4 | 21.0 | 20.3 | 20.5 |
| 28.0                |       |       |       | 19.8  | 17.5  | 19.4 | 19.0 | 18.6 | 17.9 | 18.1 |
| 30.0                |       |       |       |       | 16.1  | 17.4 | 16.9 | 16.5 | 15.9 | 16.0 |
| 32.0                |       |       |       |       | 15.3  | 15.7 | 15.2 | 14.8 | 14.2 | 14.3 |
| 34.0                |       |       |       |       |       | 14.2 | 13.7 | 13.3 | 12.6 | 12.8 |
| 36.0                |       |       |       |       |       | 13.0 | 12.4 | 12.0 | 11.3 | 11.4 |
| 38.0                |       |       |       |       |       | 11.9 | 11.3 | 10.8 | 10.2 | 10.3 |
| 40.0                |       |       |       |       |       |      | 10.3 | 9.8  | 9.2  | 9.3  |
| 42.0                |       |       |       |       |       |      | 9.5  | 8.9  | 8.2  | 8.2  |
| 44.0                |       |       |       |       |       |      |      | 8.1  | 7.2  | 7.3  |
| 46.0                |       |       |       |       |       |      |      | 7.3  | 6.4  | 6.5  |
| 48.0                |       |       |       |       |       |      |      | 6.6  | 5.7  | 5.7  |
| 50.0                |       |       |       |       |       |      |      |      | 5.0  | 5.0  |
| 52.0                |       |       |       |       |       |      |      |      | 4.4  | 4.4  |
| 54.0                |       |       |       |       |       |      |      |      |      | 3.9  |
| 56.0                |       |       |       |       |       |      |      |      |      | 3.3  |
| 58.0                |       |       |       |       |       |      |      |      |      | 2.9  |

カウンタウエイト 25t、アウトリガ張出幅 8.5m

ブーム

単位:t

| ブーム長さ(m)<br>作業半径(m) | 15.0  | 20.1  | 25.1  | 30.2  | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |
|---------------------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 3.0                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 3.5                 | 200.0 | 170.0 | 162.0 |       |       |      |      |      |      |      |
| 4.0                 | 189.5 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 4.5                 | 174.4 | 170.0 | 162.0 | 139.0 |       |      |      |      |      |      |
| 5.0                 | 160.0 | 159.6 | 158.9 | 139.0 | 123.4 |      |      |      |      |      |
| 6.0                 | 135.8 | 135.4 | 135.4 | 135.6 | 111.1 | 84.2 |      |      |      |      |
| 7.0                 | 117.1 | 116.7 | 117.6 | 116.9 | 99.7  | 84.2 | 71.6 |      |      |      |
| 8.0                 | 91.4  | 90.8  | 92.2  | 91.1  | 92.5  | 84.2 | 71.6 | 54.3 |      |      |
| 9.0                 | 72.5  | 74.3  | 74.5  | 75.0  | 73.8  | 73.1 | 69.4 | 54.3 | 45.0 |      |
| 10.0                | 59.5  | 61.2  | 62.0  | 61.8  | 60.7  | 60.0 | 60.6 | 54.3 | 45.0 | 34.5 |
| 11.0                | 49.7  | 51.4  | 52.2  | 52.0  | 50.9  | 50.1 | 51.3 | 51.4 | 45.0 | 34.5 |
| 12.0                | 42.1  | 43.7  | 44.4  | 44.2  | 43.1  | 42.4 | 43.6 | 43.6 | 44.2 | 34.5 |
| 14.0                |       | 33.1  | 33.9  | 34.8  | 32.5  | 35.1 | 34.6 | 34.2 | 33.4 | 33.6 |
| 16.0                |       | 26.1  | 26.9  | 27.7  | 27.6  | 27.9 | 27.4 | 27.0 | 26.3 | 26.5 |
| 18.0                |       | 21.4  | 21.9  | 22.6  | 22.5  | 22.8 | 22.3 | 21.9 | 21.2 | 21.4 |
| 20.0                |       |       | 18.2  | 18.9  | 18.8  | 19.0 | 18.5 | 18.1 | 17.5 | 17.6 |
| 22.0                |       |       | 15.5  | 16.0  | 15.9  | 16.1 | 15.6 | 15.2 | 14.5 | 14.7 |
| 24.0                |       |       |       | 13.8  | 13.6  | 13.7 | 13.3 | 12.9 | 12.2 | 12.4 |
| 26.0                |       |       |       | 12.0  | 11.7  | 11.8 | 11.4 | 11.0 | 10.3 | 10.5 |
| 28.0                |       |       |       | 10.6  | 10.2  | 10.3 | 9.8  | 9.4  | 8.7  | 8.9  |
| 30.0                |       |       |       |       | 9.0   | 8.9  | 8.5  | 8.1  | 7.3  | 7.5  |
| 32.0                |       |       |       |       | 7.9   | 7.8  | 7.3  | 6.9  | 6.0  | 6.2  |
| 34.0                |       |       |       |       |       | 6.9  | 6.3  | 5.8  | 4.9  | 5.1  |
| 36.0                |       |       |       |       |       | 6.0  | 5.3  | 4.8  | 4.0  | 4.1  |
| 38.0                |       |       |       |       |       | 5.3  | 4.5  | 4.0  | 3.1  | 3.2  |
| 40.0                |       |       |       |       |       |      | 3.8  | 3.2  | 2.4  | 2.5  |
| 42.0                |       |       |       |       |       |      | 3.2  | 2.6  |      |      |

## ■ PS+ブーム 定格総荷重表

カウンタウエイト 138t、アウトリガ張出幅 8.5m

| PS+ブーム              |       | 単位:t |      |      |      |      |  |
|---------------------|-------|------|------|------|------|------|--|
| ブーム長さ(m)<br>作業半径(m) | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |  |
| 8.0                 | 101.4 |      |      |      |      |      |  |
| 9.0                 | 93.8  | 84.2 | 68.0 | 58.0 | 45.0 |      |  |
| 10.0                | 86.3  | 82.4 | 68.0 | 58.0 | 45.0 | 34.9 |  |
| 11.0                | 79.6  | 76.8 | 68.0 | 58.0 | 45.0 | 34.8 |  |
| 12.0                | 74.6  | 71.2 | 68.0 | 58.0 | 44.8 | 34.6 |  |
| 14.0                | 65.3  | 62.8 | 59.9 | 58.0 | 44.4 | 34.2 |  |
| 16.0                | 58.1  | 55.6 | 53.7 | 51.6 | 44.0 | 33.8 |  |
| 18.0                | 52.4  | 50.3 | 48.0 | 46.8 | 43.7 | 33.4 |  |
| 20.0                | 47.6  | 45.6 | 43.9 | 42.5 | 41.3 | 33.0 |  |
| 22.0                | 43.5  | 41.6 | 40.0 | 39.0 | 37.7 | 32.7 |  |
| 24.0                | 39.6  | 38.4 | 36.9 | 35.8 | 34.8 | 32.4 |  |
| 26.0                | 35.1  | 35.5 | 34.1 | 33.2 | 32.3 | 31.3 |  |
| 28.0                | 30.5  | 33.0 | 31.6 | 30.8 | 30.0 | 29.1 |  |
| 30.0                | 25.6  | 29.9 | 29.5 | 28.9 | 28.1 | 27.1 |  |
| 32.0                | 19.2  | 26.4 | 27.6 | 27.1 | 26.3 | 25.5 |  |
| 34.0                |       | 22.8 | 25.7 | 25.4 | 24.8 | 23.8 |  |
| 36.0                |       | 18.4 | 23.0 | 24.0 | 23.4 | 22.6 |  |
| 38.0                |       | 11.4 | 20.1 | 22.6 | 22.1 | 21.3 |  |
| 40.0                |       |      | 16.9 | 20.6 | 21.0 | 20.3 |  |
| 42.0                |       |      | 12.6 | 18.4 | 19.9 | 19.2 |  |
| 44.0                |       |      |      | 15.9 | 18.5 | 18.3 |  |
| 46.0                |       |      |      | 12.9 | 16.7 | 17.4 |  |
| 48.0                |       |      |      | 8.3  | 14.7 | 16.1 |  |
| 50.0                |       |      |      |      | 12.5 | 14.5 |  |
| 52.0                |       |      |      |      | 9.5  | 12.8 |  |
| 54.0                |       |      |      |      |      | 10.9 |  |
| 56.0                |       |      |      |      |      | 8.4  |  |
| 58.0                |       |      |      |      |      | 3.7  |  |

カウンタウエイト 118t、アウトリガ張出幅 8.5m

| PS+ブーム              |       | 単位:t |      |      |      |      |  |
|---------------------|-------|------|------|------|------|------|--|
| ブーム長さ(m)<br>作業半径(m) | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |  |
| 4.5                 | 118.0 |      |      |      |      |      |  |
| 5.0                 | 118.0 |      |      |      |      |      |  |
| 6.0                 | 118.0 | 84.2 |      |      |      |      |  |
| 7.0                 | 112.6 | 84.2 | 68.0 |      |      |      |  |
| 8.0                 | 101.4 | 84.2 | 68.0 | 58.0 |      |      |  |
| 9.0                 | 93.8  | 84.2 | 68.0 | 58.0 | 45.0 |      |  |
| 10.0                | 86.3  | 82.4 | 68.0 | 58.0 | 45.0 | 34.9 |  |
| 11.0                | 79.6  | 76.8 | 68.0 | 58.0 | 45.0 | 34.8 |  |
| 12.0                | 74.6  | 71.2 | 68.0 | 58.0 | 44.8 | 34.6 |  |
| 14.0                | 65.3  | 62.8 | 59.9 | 58.0 | 44.4 | 34.2 |  |
| 16.0                | 58.1  | 55.6 | 53.7 | 51.6 | 44.0 | 33.8 |  |
| 18.0                | 52.4  | 50.3 | 48.0 | 46.8 | 43.7 | 33.4 |  |
| 20.0                | 47.6  | 45.6 | 43.9 | 42.5 | 41.3 | 33.0 |  |
| 22.0                | 43.5  | 41.6 | 40.0 | 39.0 | 37.7 | 32.7 |  |
| 24.0                | 39.6  | 38.4 | 36.9 | 35.8 | 34.8 | 32.4 |  |
| 26.0                | 33.9  | 35.1 | 34.1 | 33.2 | 32.3 | 31.3 |  |
| 28.0                | 30.1  | 31.3 | 31.6 | 30.8 | 30.0 | 29.1 |  |
| 30.0                | 25.6  | 28.0 | 28.7 | 28.9 | 28.1 | 27.1 |  |
| 32.0                | 19.2  | 25.2 | 25.9 | 26.8 | 26.3 | 25.5 |  |
| 34.0                |       | 22.7 | 23.5 | 24.3 | 24.8 | 23.8 |  |
| 36.0                |       | 18.4 | 21.3 | 22.2 | 22.9 | 22.6 |  |
| 38.0                |       | 11.4 | 19.4 | 20.3 | 21.0 | 21.1 |  |
| 40.0                |       |      | 16.9 | 18.6 | 19.3 | 19.4 |  |
| 42.0                |       |      | 12.6 | 17.1 | 17.8 | 17.9 |  |
| 44.0                |       |      |      | 15.7 | 16.4 | 16.5 |  |
| 46.0                |       |      |      | 12.9 | 15.2 | 15.3 |  |
| 48.0                |       |      |      | 8.3  | 14.1 | 14.1 |  |
| 50.0                |       |      |      |      | 12.5 | 13.1 |  |
| 52.0                |       |      |      |      | 9.5  | 12.2 |  |
| 54.0                |       |      |      |      |      | 10.9 |  |
| 56.0                |       |      |      |      |      | 8.4  |  |
| 58.0                |       |      |      |      |      | 3.7  |  |

カウンタウエイト 98t、アウトリガ張出幅 8.5m

| PS+ブーム              |       | 単位:t |      |      |      |      |  |
|---------------------|-------|------|------|------|------|------|--|
| ブーム長さ(m)<br>作業半径(m) | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |  |
| 4.0                 | 118.0 |      |      |      |      |      |  |
| 4.5                 | 118.0 |      |      |      |      |      |  |
| 5.0                 | 118.0 |      |      |      |      |      |  |
| 6.0                 | 118.0 | 84.2 |      |      |      |      |  |
| 7.0                 | 112.6 | 84.2 | 68.0 |      |      |      |  |
| 8.0                 | 101.4 | 84.2 | 68.0 | 58.0 |      |      |  |
| 9.0                 | 93.8  | 84.2 | 68.0 | 58.0 | 45.0 |      |  |
| 10.0                | 86.3  | 82.4 | 68.0 | 58.0 | 45.0 | 34.9 |  |
| 11.0                | 79.6  | 76.8 | 68.0 | 58.0 | 45.0 | 34.8 |  |
| 12.0                | 74.6  | 71.2 | 68.0 | 58.0 | 44.8 | 34.6 |  |
| 14.0                | 65.3  | 62.8 | 59.9 | 58.0 | 44.4 | 34.2 |  |
| 16.0                | 58.1  | 55.6 | 53.7 | 51.6 | 44.0 | 33.8 |  |
| 18.0                | 51.2  | 50.3 | 48.0 | 46.8 | 43.7 | 33.4 |  |
| 20.0                | 43.4  | 44.7 | 43.9 | 42.5 | 41.3 | 33.0 |  |
| 22.0                | 37.2  | 38.5 | 39.3 | 39.0 | 37.7 | 32.7 |  |
| 24.0                | 32.3  | 33.5 | 34.3 | 35.3 | 34.8 | 32.4 |  |
| 26.0                | 28.2  | 29.4 | 30.2 | 31.1 | 31.9 | 31.3 |  |
| 28.0                | 24.9  | 26.0 | 26.8 | 27.7 | 28.5 | 28.6 |  |
| 30.0                | 22.0  | 23.1 | 23.9 | 24.8 | 25.6 | 25.6 |  |
| 32.0                | 19.2  | 20.7 | 21.4 | 22.3 | 23.1 | 23.1 |  |
| 34.0                |       | 18.5 | 19.3 | 20.1 | 20.9 | 20.9 |  |
| 36.0                |       | 16.7 | 17.4 | 18.2 | 19.0 | 19.0 |  |
| 38.0                |       | 11.4 | 15.7 | 16.6 | 17.3 | 17.4 |  |
| 40.0                |       |      | 14.2 | 15.1 | 15.8 | 15.9 |  |
| 42.0                |       |      | 12.6 | 13.8 | 14.5 | 14.5 |  |
| 44.0                |       |      |      | 12.6 | 13.3 | 13.3 |  |
| 46.0                |       |      |      | 11.5 | 12.2 | 12.2 |  |
| 48.0                |       |      |      | 8.3  | 11.2 | 11.3 |  |
| 50.0                |       |      |      |      | 10.2 | 10.3 |  |
| 52.0                |       |      |      |      | 9.3  | 9.4  |  |
| 54.0                |       |      |      |      |      | 8.5  |  |
| 56.0                |       |      |      |      |      | 7.7  |  |
| 58.0                |       |      |      |      |      | 3.7  |  |

カウンタウエイト 78t、アウトリガ張出幅 8.5m

| PS+ブーム              |       | 単位:t |      |      |      |      |  |
|---------------------|-------|------|------|------|------|------|--|
| ブーム長さ(m)<br>作業半径(m) | 35.3  | 40.4 | 45.4 | 50.5 | 55.6 | 60.0 |  |
| 4.0                 | 118.0 |      |      |      |      |      |  |
| 4.5                 | 118.0 |      |      |      |      |      |  |
| 5.0                 | 118.0 |      |      |      |      |      |  |
| 6.0                 | 118.0 | 84.2 |      |      |      |      |  |
| 7.0                 | 112.6 | 84.2 | 68.0 |      |      |      |  |
| 8.0                 | 101.4 | 84.2 | 68.0 | 58.0 |      |      |  |
| 9.0                 | 93.8  | 84.2 | 68.0 | 58.0 | 45.0 |      |  |
| 10.0                | 86.3  | 82.4 | 68.0 | 58.0 | 45.0 | 34.9 |  |
| 11.0                | 79.6  | 76.8 | 68.0 | 58.0 | 45.0 | 34.8 |  |
| 12.0                | 74.6  | 71.2 | 68.0 | 58.0 | 44.8 | 34.6 |  |
| 14.0                | 64.0  | 62.8 | 59.9 | 58.0 | 44.4 | 34.2 |  |
| 16.0                | 51.5  | 52.9 | 53.7 | 51.6 | 44.0 | 33.8 |  |
| 18.0                | 42.5  | 43.9 | 44.7 | 45.7 | 43.7 | 33.4 |  |
| 20.0                | 35.7  | 37.0 | 37.8 | 38.8 | 39.7 | 33.0 |  |
| 22.0                | 30.4  | 31.6 | 32.5 | 33.4 | 34.3 | 32.7 |  |
| 24.0                | 26.1  | 27.3 | 28.1 | 29.1 | 29.9 | 30.0 |  |
| 26.0                | 22.6  | 23.8 | 24.6 | 25.5 | 26.3 | 26.4 |  |
| 28.0                | 19.7  | 20.9 | 21.6 | 22.6 | 23.4 | 23.4 |  |
| 30.0                | 17.3  | 18.4 | 19.1 | 20.1 | 20.8 | 20.9 |  |
| 32.0                | 15.2  | 16.2 | 17.0 | 17.9 | 18.6 | 18.7 |  |
| 34.0                |       | 14.4 | 15.1 | 16.0 | 16.8 | 16.8 |  |
| 36.0                |       | 12.7 | 13.5 | 14.4 | 15.1 | 15.2 |  |
| 38.0                |       | 11.1 | 12.0 | 12.9 | 13.7 | 13.7 |  |
| 40.0                |       |      | 10.6 | 11.6 | 12.4 | 12.4 |  |
| 42.0                |       |      | 9.3  | 10.4 | 11.2 | 11.3 |  |
| 44.0                |       |      |      | 9.2  | 10.1 | 10.2 |  |
| 46.0                |       |      |      | 8.2  | 9.0  | 9.1  |  |
| 48.0                |       |      |      | 7.2  | 8.1  | 8.2  |  |
| 50.0                |       |      |      |      | 7.2  | 7.3  |  |
| 52.0                |       |      |      |      | 6.4  | 6.5  |  |
| 54.0                |       |      |      |      |      | 5.7  |  |
| 56.0                |       |      |      |      |      | 5.0  |  |
| 58.0                |       |      |      |      |      | 3.7  |  |