

23.5 mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | |
|-------------|-------------|-------|-------------|-------------|
| | 19m | | | |
| | 90° | 80° | 70° | 60° |
| 9.5 | 15.00 | | | |
| 10.0 | 15.00 | | | |
| 13.3 | 15.00 | | | |
| 14.5 | 13.10 | | | |
| 16.0 | 11.50 | 10.90 | | |
| 18.0 | 10.00 | 9.45 | | |
| 20.0 | 19.9m×8.90t | 8.35 | | |
| 22.0 | | 7.40 | 22.7m×6.10t | |
| 24.0 | | 6.70 | 5.70 | |
| 26.0 | | | 5.20 | |
| 28.0 | | | 27.8m×4.75t | 28.6m×3.90t |
| 30.0 | | | | 3.65 |
| 31.5 | | | | 3.45 |

- 〈注〉 1. 上表に示す定格総荷重は、水平堅土上定置荷役における値で転倒荷重の78%以内、および移動式クレーン構造規格で定める前方安定度1.15以上です。
 2. 実際に吊(つ)り上げられる質量は、上表の定格総荷重からフックなどの吊り具一切の質量を差し引いた値です。
 フック質量25tフック……0.73t
 3. 作業半径とは荷を吊った状態での旋回中心からの吊り荷の重心までの水平距離です。
 4. カウンタイトは、22.8tです。
 5. 作業を行う時は、必ずクローラを規定位置まで拡張して下さい。
 6. 上表に示す定格総荷重は、荷を吊った状態での作業半径を示します。

26.5 mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | |
|-------------|--------------|--------------|-------------|-------------|--------------|-------------|-------------|-------------|
| | 19m | | | | 22m | | | |
| | 90° | 80° | 70° | 60° | 90° | 80° | 70° | 60° |
| 9.5 | 15.00 | | | | | | | |
| 10.0 | 15.00 | | | | 10.5m×15.00t | | | |
| 12.0 | 13.3m×15.00t | | | | 13.0m×15.00t | | | |
| 14.0 | 14.5m×13.10t | | | | 14.5m×13.10t | | | |
| 16.0 | 11.50 | 16.6m×10.35t | | | 11.50 | | | |
| 18.0 | 10.00 | 9.35 | | | 10.00 | 9.25 | | |
| 20.0 | 19.9m×8.90 | 8.25 | | | 8.80 | 8.15 | | |
| 22.0 | | 7.35 | 23.7m×5.65 | | 7.90 | 7.25 | | |
| 24.0 | | 6.60 | 5.55 | | 22.6m×7.60t | 6.50 | 25.6m×5.05t | |
| 26.0 | | 24.5m×6.45t | 5.05 | | | 5.90 | 4.95 | |
| 28.0 | | | 4.60 | | | 27.2m×5.55t | 4.50 | |
| 30.0 | | | 28.9m×4.40t | 30.1m×3.50t | | | 4.10 | |
| 32.0 | | | | 3.25 | | | 31.6m×3.85t | 32.4m×3.10t |
| 34.0 | | | | 33.0m×3.10t | | | | 2.90 |
| 35.7 | | | | | | | | 2.70 |

※注記につきましては、23.5mタワーと同様です。

29.5 mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-----|-----|-----|-------------|--------------|
| | 19m | | | | 22m | | | | 25m | | | | |
| | 90° | 80° | 70° | 60° | 90° | 80° | 70° | 60° | 90° | 80° | 70° | 60° | |
| 9.5 | 15.00 | | | | | | | | | | | | 11.5m×14.60t |
| 10.0 | 15.00 | | | | 10.5m×15.00t | | | | | | | | 12.5m×14.20t |
| 12.0 | 13.3m×15.00t | | | | 13.0m×15.00t | | | | | | | | 13.5m×13.80t |
| 14.0 | 14.5m×13.10t | | | | 14.5m×13.10t | | | | | | | | 14.2m×13.50t |
| 16.0 | 11.50 | 17.1m×9.85t | | | 11.50 | | | | | | | | 11.50 |
| 18.0 | 10.00 | 9.25 | | | 10.00 | 18.5m×8.85 | | | | | | | 10.00 |
| 20.0 | 19.9m×8.90 | 8.15 | | | 8.80 | 8.05 | | | | | | | 8.80 |
| 22.0 | | 7.25 | | | 7.90 | 7.15 | | | | | | | 7.90 |
| 24.0 | | 6.50 | 24.7m×5.20 | | 22.6m×7.60 | 6.40 | | | | | | | 7.10 |
| 26.0 | | 25.0m×6.20t | 4.90 | | | 5.80 | 26.6m×4.65t | | | | | | 25.3m×6.60t |
| 28.0 | | | 4.45 | | | 27.7m×5.35t | 4.35 | | | | | | 5.20 |
| 30.0 | | | 29.9m×4.10t | 31.6m×3.10t | | | 4.00 | | | | | | 4.75 |
| 32.0 | | | | 3.05 | | | 3.65 | 33.9m×2.75t | | | | 30.4m×4.65t | 3.85 |
| 34.0 | | | | 2.85 | | | 32.6m×3.55t | 2.75 | | | | | 3.55 |
| 36.0 | | | | 34.5m×2.80t | | | | 2.75 | | | | | 3.25 |
| 38.0 | | | | | | | | 37.2m×2.40t | | | | | 2.25 |
| 39.9 | | | | | | | | | | | | | 2.10 |

※注記につきましては、23.5mタワーと同様です。

32.5 mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-----|-----|-----|-----|--------------|------|
| | 19m | | | | 22m | | | | 25m | | | 28m | | |
| | 90° | 80° | 70° | 60° | 90° | 80° | 70° | 60° | 90° | 80° | 70° | 90° | 80° | 70° |
| 9.5 | 15.00 | | | | | | | | | | | | | |
| 10.0 | 15.00 | | | | 10.5m×15.00t | | | | | | | | | |
| 12.0 | 13.3m×15.00t | | | | 13.0m×15.00t | | | | | | | | 12.5m×13.10t | |
| 14.0 | 14.5m×13.10t | | | | 14.5m×13.10t | | | | | | | | 13.5m×12.85t | |
| 16.0 | 11.50 | 17.6m×9.35t | | | 11.50 | | | | | | | | 14.2m×13.50t | |
| 18.0 | 10.00 | 9.10 | | | 10.00 | 19.1m×8.40t | | | | | | | 15.0m×12.50t | |
| 20.0 | 19.9m×8.90t | 8.00 | | | 8.80 | 7.90 | | | | | | | 10.00 | |
| 22.0 | | 7.15 | | | 7.90 | 7.05 | | | | | | | 8.80 | |
| 24.0 | | 6.40 | 25.8m×4.75t | | 22.6m×7.60t | 6.30 | | | | | | | 20.5m×7.55t | |
| 26.0 | | 25.5m×5.95t | 4.70 | | | 5.70 | 27.6m×4.25t | | | | | | 8.80 | |
| 28.0 | | | 4.30 | | | 5.20 | 4.20 | | | | | | 7.90 | 6.85 |
| 30.0 | | | 3.95 | | | 28.2m×5.15t | 3.85 | | | | | | 6.90 | 6.10 |
| 32.0 | | | 30.9m×3.80t | 33.1m×2.75t | | | 3.55 | | | | | | 6.20 | 6.10 |
| 34.0 | | | | 2.65 | | | 33.6m×3.30t | 35.4m×2.40t | | | | | 7.10 | 6.10 |
| 36.0 | | | | 2.45 | | | | 2.35 | | | | | 6.20 | 6.10 |
| 38.0 | | | | | | | | 2.20 | | | | | 5.60 | 5.50 |
| 39.1 | | | | | | | | 38.7m×2.15t | | | | | 29.5m×3.75t | 5.75 |
| | | | | | | | | | | | | | 5.10 | 5.00 |
| | | | | | | | | | | | | | 4.65 | 4.60 |
| | | | | | | | | | | | | | 3.70 | 3.30 |
| | | | | | | | | | | | | | 3.40 | 3.30 |
| | | | | | | | | | | | | | 3.15 | 3.05 |
| | | | | | | | | | | | | | 2.90 | 2.80 |
| | | | | | | | | | | | | | 36.4m×2.85t | 2.60 |
| | | | | | | | | | | | | | | 2.50 |

※注記につきましては、23.5mタワーと同様です。

35.5_mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|
| | 19m | | | 22m | | | 25m | | | 28m | | | 31m | |
| | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° |
| 9.5 | 15.00 | | | | | | 11.5m×14.60t | | | | | | | |
| 10.0 | 15.00 | | | 10.5m×15.00t | | | 12.5m×14.20t | | | 12.5m×13.10t | | | | |
| 12.0 | 13.1m×15.00t | | | 13.0m×15.00t | | | 13.5m×13.80t | | | 13.5m×12.85t | | | 13.5m×11.80t | |
| 14.0 | 14.5m×13.10t | | | 14.5m×13.10t | | | 14.2m×13.50t | | | 15.0m×12.50t | | | 14.5m×11.70t | |
| 16.0 | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | |
| 18.0 | 10.00 | 18.1m×8.90t | | 10.00 | 19.6m×8.00t | | 10.00 | | | 10.00 | | | 10.00 | |
| 20.0 | 19.9m×8.90t | 7.90 | | 8.80 | 7.80 | | 8.80 | 21.0m×7.20t | | 8.80 | | | 8.80 | |
| 22.0 | | 7.05 | | 7.90 | 6.95 | | 7.90 | 6.80 | | 7.90 | 22.5m×6.55 | | 7.90 | |
| 24.0 | | 6.30 | | 22.6m×7.60t | 6.20 | | 7.10 | 6.10 | | 7.10 | 6.00 | | 7.10 | 5.90 |
| 26.0 | | 5.70 | 26.8m×4.35t | | 5.60 | | 25.3m×6.60t | 5.50 | | 6.40 | 5.45 | | 6.40 | 5.30 |
| 28.0 | | | 4.15 | | 5.10 | 28.7m×3.90t | | 5.00 | | 5.75 | 4.95 | | 5.75 | 4.80 |
| 30.0 | | | 3.80 | | 28.8m×4.95t | 3.70 | | 4.60 | 30.6m×3.45t | | 4.50 | | 5.25 | 4.40 |
| 32.0 | | | 3.50 | | | 3.40 | | 31.5m×4.30t | 3.25 | | 4.15 | 32.5m×3.10t | 30.8m×5.10t | 4.05 |
| 34.0 | | | | 34.6m×2.45t | | 3.15 | | | 3.00 | | 3.80 | 2.95 | | 3.70 |
| 36.0 | | | | 2.30 | | 34.7m×3.05t | | | 2.80 | | 34.2m×3.75t | 2.70 | | 3.40 |
| 38.0 | | | | 37.5m×2.20t | | | | | 37.4m×2.65t | | | 2.50 | | 36.9m×3.30t |
| 40.0 | | | | | | | | | | | | 2.30 | | |
| 40.1 | | | | | | | | | | | | 2.30 | | |

※注記につきましては、23.5mタワーと同様です。

38.5_mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|
| | 19m | | | 22m | | | 25m | | | 28m | | | 31m | |
| | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° |
| 9.5 | 15.00 | | | | | | 11.5m×14.60t | | | | | | | |
| 10.0 | 15.00 | | | 10.5m×15.00t | | | 12.5m×14.20t | | | 12.5m×13.10t | | | | |
| 12.0 | 13.3m×15.00t | | | 13.0m×15.00t | | | 13.5m×13.80t | | | 13.5m×12.85t | | | 13.5m×11.80t | |
| 14.0 | 14.5m×13.10t | | | 14.5m×13.10t | | | 14.2m×13.50t | | | 15.0m×12.50t | | | 14.5m×11.70t | |
| 16.0 | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | |
| 18.0 | 10.00 | 18.7m×8.40t | | 10.00 | | | 10.00 | | | 10.00 | | | 10.00 | |
| 20.0 | 19.9m×8.90t | 7.75 | | 8.80 | 20.1m×7.60t | | 8.80 | 21.6m×6.85t | | 8.80 | | | 8.80 | |
| 22.0 | | 6.90 | | 7.90 | 6.80 | | 7.90 | 6.70 | | 7.90 | 23.0m×6.25t | | 7.90 | |
| 24.0 | | 6.20 | | 22.6m×7.60t | 6.10 | | 7.10 | 6.00 | | 7.10 | 5.90 | | 7.10 | 24.5m×5.65t |
| 26.0 | | 26.6m×5.45t | 27.8m×4.00t | | 5.50 | | 25.3m×6.60t | 5.40 | | 6.40 | 5.30 | | 6.40 | 5.20 |
| 28.0 | | | 4.00 | | 5.05 | 29.7m×3.60t | | 4.90 | | 5.75 | 4.85 | | 5.75 | 4.75 |
| 30.0 | | | 3.65 | | 29.3m×4.75t | 3.55 | | 4.50 | 31.6m×3.15t | | 4.40 | | 5.25 | 4.30 |
| 32.0 | | | 3.35 | | | 3.25 | | 4.10 | 3.10 | | 4.05 | 33.5m×2.85t | 30.8m×5.10t | 3.95 |
| 34.0 | | | 33.0m×3.20 | | | 3.00 | | | 2.85 | | 3.75 | 2.80 | | 3.65 |
| 36.0 | | | | | | 35.7m×2.80t | | | 2.65 | | 34.7m×3.60t | 2.55 | | 3.35 |
| 38.0 | | | | | | | | | 2.45 | | | 2.35 | | 37.4m×3.15t |
| 40.0 | | | | | | | | | 38.4m×2.40t | | | 2.20 | | |
| 41.1 | | | | | | | | | | | | 2.10 | | |

| 作業半径 (m) | ジブ長さ(m) | |
|-------------|-------------|-------------|
| | 90° | 80° |
| 14.5 | 10.50 | |
| 16.0 | 10.25 | |
| 18.0 | 10.00 | |
| 20.0 | 8.80 | |
| 22.0 | 7.90 | |
| 24.0 | 7.10 | 25.9m×5.15t |
| 26.0 | 6.40 | 5.10 |
| 28.0 | 5.75 | 4.60 |
| 30.0 | 5.25 | 4.20 |
| 32.0 | 4.90 | 3.85 |
| 34.0 | 33.5m×4.65t | 3.55 |
| 36.0 | | 3.25 |
| 38.0 | | 3.00 |
| 40.0 | | 2.80 |
| 40.2 | | 2.75 |

※注記につきましては、23.5mタワーと同様です。

41.5_mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | 19m | | | 22m | | | 25m | | | 28m | | 31m | | 34m | |
| | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 90° | 80° | 90° | 80° |
| 9.5 | 15.00 | | | | | | 11.5m×14.60t | | | | | | | | |
| 10.0 | 15.00 | | | 10.5m×15.00t | | | 12.5m×14.20t | | | 12.5m×13.10t | | | | | |
| 12.0 | 13.3m×15.00t | | | 13.0m×15.00t | | | 13.5m×13.80t | | | 13.5m×12.85t | | 13.5m×11.80t | | | |
| 14.0 | 14.5m×13.10t | | | 14.5m×13.10t | | | 14.2m×13.50t | | | 15.0m×12.50t | | 14.5m×11.70t | | 14.5m×10.50t | |
| 16.0 | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | | 11.50 | | 10.25 | |
| 18.0 | 10.00 | 19.2m×8.00t | | 10.00 | | | 10.00 | | | 10.00 | | 10.00 | | 10.00 | |
| 20.0 | 19.9m×8.90t | 7.65 | | 8.80 | 20.6m×7.25t | | 8.80 | | | 8.80 | | 8.80 | | 8.80 | |
| 22.0 | | 6.80 | | 7.90 | 6.70 | | 7.90 | 22.1m×6.50t | | 7.90 | 23.5m×5.95t | 7.90 | | 7.90 | |
| 24.0 | | 6.10 | | 22.6m×7.60t | 6.00 | | 7.10 | 5.85 | | 7.10 | 5.80 | 7.10 | 25.0m×5.35t | 7.10 | |
| 26.0 | | 5.50 | | | 5.40 | | 25.3m×6.60t | 5.30 | | 6.40 | 5.20 | 6.40 | 5.10 | 6.40 | 26.4m×4.90t |
| 28.0 | | 27.1m×5.25t | 28.8m×3.65t | | 4.95 | | | 4.80 | | 5.75 | 4.75 | 5.75 | 4.60 | 5.75 | 4.50 |
| 30.0 | | | 3.50 | | 29.8m×4.55t | 30.7m×3.25t | | 4.40 | | 4.30 | 5.25 | 4.20 | 5.25 | 4.10 | 4.10 |
| 32.0 | | | 3.20 | | | 3.10 | | 4.05 | 32.6m×2.85t | | 3.95 | 30.8m×5.10t | 3.85 | 4.90 | 3.75 |
| 34.0 | | | 2.95 | | | 2.85 | | 32.5m×3.95t | 2.70 | | 3.65 | | 3.55 | 33.5m×4.65t | 3.45 |
| 36.0 | | | | | | 2.60 | | | 2.50 | 35.2m×3.45t | | | 3.25 | | 3.15 |
| 38.0 | | | | | | 36.7m×2.55t | | | 2.30 | | | | 3.00 | | 2.90 |
| 40.0 | | | | | | | | | 39.4m×2.20t | | | | | | 2.70 |
| 40.7 | | | | | | | | | | | | | | | 2.65 |

※注記につきましては、23.5mタワーと同様です。

44.5_mタワー(2本掛)

■タワークレーン定格総荷重表

単位:t

| 作業半径 (m) | ジブ長さ(m) | | | | | | | | | | | | | |
|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|------|--------------|-------------|--------------|-------------|--------------|
| | 19m | | | 22m | | | 25m | | | 28m | | 31m | | 34m |
| | 90° | 80° | 70° | 90° | 80° | 70° | 90° | 80° | 90° | 80° | 90° | 80° | 90° | 80° |
| 9.5 | 15.00 | | | | | | 11.5m×14.60t | | | | | | | |
| 10.0 | 15.00 | | | 10.5m×15.00t | | | 12.5m×14.20t | | | 12.5m×13.10t | | | | |
| 12.0 | 13.3m×15.00t | | | 13.0m×15.00t | | | 13.5m×13.80t | | | 13.5m×12.85t | | 13.5m×11.80t | | |
| 14.0 | 14.5m×13.10t | | | 14.5m×13.10t | | | 14.2m×13.50t | | | 15.0m×12.50t | | 14.5m×11.70t | | 14.5m×10.50t |
| 16.0 | 11.50 | | | 11.50 | | | 11.50 | | | 11.50 | | 11.50 | | 10.25 |
| 18.0 | 10.00 | 19.7m×7.65t | | 10.00 | | | 10.00 | | | 10.00 | | 10.00 | | 10.00 |
| 20.0 | 19.9m×8.90t | 7.50 | | 8.80 | 21.1m×6.90t | | 8.80 | | | 8.80 | | 8.80 | | 8.80 |
| 22.0 | | 6.65 | | 7.90 | 6.55 | | 7.90 | 22.6m×6.20t | 7.90 | | 7.90 | | 7.90 | |
| 24.0 | | 6.00 | | 22.6m×7.60t | 5.90 | | 7.10 | 5.75 | 7.10 | 5.65 | 7.10 | 25.5m×5.10t | 7.10 | |
| 26.0 | | 5.40 | | | 5.30 | | 25.3m×6.60t | 5.20 | 6.40 | 5.10 | 6.40 | 5.00 | 6.40 | 27.0m×4.65t |
| 28.0 | | 27.6m×5.00t | 29.9m×3.30t | | 4.85 | | | 4.70 | 5.75 | 4.60 | 5.75 | 4.50 | 5.75 | 4.40 |
| 30.0 | | | 3.30 | | 4.40 | 31.7m×2.95t | | 4.30 | | 4.20 | 5.25 | 4.10 | 5.25 | 4.00 |
| 32.0 | | | 3.05 | | 30.3m×4.35t | 2.95 | | 3.95 | | 3.85 | 30.8m×5.10t | 3.75 | 4.90 | 3.65 |
| 34.0 | | | 2.80 | | | 2.70 | | 33.0m×3.80t | | 3.55 | | 3.45 | 33.5m×4.65t | 3.35 |
| 36.0 | | | 35.0m×2.70t | | | 2.50 | | | | 35.8m×3.30t | | 3.20 | | 3.10 |
| 38.0 | | | | | | 37.7m×2.30t | | | | | | 2.95 | | 2.85 |
| 40.0 | | | | | | | | | | | | 38.5m×2.90t | | 2.65 |
| 41.2 | | | | | | | | | | | | | | 2.50 |

※注記につきましては、23.5mタワーと同様です。