

定格総荷重表

■ 37 m タワー



(単位 t)

タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)	37								タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)
	27				30				
	90	80	70	60	90	80	70	60	
9.7	27.0				10.4m x 27.0t				9.7
10	27.0				27.0				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				27.0				16
18	27.0	20.2m x 25.4t			26.4	21.4m x 24.5t			18
20	25.3				24.6				20
22	23.3	24.3			22.9	24.2			22
24	21.3	23.2			21.3	23.1			24
26	19.1	21.1			19.6	21.0			26
28	15.1	19.3	30.4m x		17.8	19.2			28
30	28.4m x	17.7	17.2t		14.9	17.6			30
32	13.9t	16.4	16.2t		31.2m x 12.2t	16.3	16.1		32
34	*29.4m x	15.2	15.1		12.2t	15.2	14.9		34
36	10.9t	35.4m x 14.5t	14.1	39.7m x 12.0t	*32.2m x 9.9t	14.1	13.9		36
38			13.2	11.9		13.2	13.1	41.7m x 11.1t	38
40		*36.5m x 12.1t	12.4	11.2		38.3m x 13.1t	12.3	11.0	40
42			41.6m x 11.8t	10.5		*39.4m x 10.7t	11.6	10.4	42
44				10.0			10.9	10.4	44
46			*42.6m x 11.4t	9.4t			44.5m x 10.8t	9.9	46
48				47.3m x 9.6t			10.8t	9.4	48
50				*48.3m x 9.4t			*45.5m x 10.5t	8.9	50
52								50.2m x 8.8t	52
54								*51.2m x 8.6t	54

■ 40 m タワー



(単位 t)

タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)	40								タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)
	27				30				
	90	80	70	60	90	80	70	60	
8	9.7m x								8
9	27.0t				10.4m x 27.0t				9
10	27.0				27.0				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				27.0				16
18	27.0	20.8m x 25.0t			26.4	21.9m x 24.2t			18
20	25.3				24.6				20
22	23.3	24.3			22.9	24.2			22
24	21.3	23.2			21.3	23.1			24
26	19.1	21.0			19.6	20.9			26
28	15.2	19.2	31.4m x		17.8	19.1			28
30	28.4m x	17.7	16.3t		15.1	17.6	33.0m x		30
32	14.0t	16.4	15.9		31.2m x 12.3t	16.3	15.2t		32
34	*29.4m x	15.2	14.8		12.3t	15.1	14.7		34
36	11.0t	14.2	13.8		*32.2m x 10.0t	14.1	13.7		36
38		*37.0m x 12.4t	12.9	41.2m x 11.3t		13.2	12.8		38
40			12.2	11.0		38.9m x 12.9t	12.0	43.2m x 10.5t	40
42			42.6m x 11.3t	10.4		*39.9m x 10.9t	11.3	10.3	42
44				9.9			10.7	10.3	44
46			*43.6m x 10.9t	9.4			45.5m x 10.3t	9.7	46
48				48.8m x 9.2t			10.3t	9.2	48
50				*49.8m x 8.9t			*46.5m x 10.0t	8.8	50
52								51.7m x 8.4t	52
54								*52.7m x 8.2t	54
56									56

1. 上表に示す定格総荷重は、水平堅土上の定置荷役における値で、転倒荷重の78%以内、および移動式クレーン構造規格で定める前方安定度以上です。
2. 実際につり上げられる荷重は、上表の定格総荷重からフックなどのつり具一切の質量を差し引いた値です。
3. 口太線の値は強度に基づいています。
4. 作業半径とは、荷をついた状態での旋回中心からつり荷の重心までの水平距離です。
5. カウンタウエイトは、標準仕様(105.2t)です。
6. 表中の〇〇m x 〇〇t は、作業半径 m x 定格総荷重 t を示します。
7. 本表は、2本掛の値を示します。ただし*印の作業半径は、1本掛での最大作業半径を示します。
8. 使用するフックは、以下の通りです。
2本掛・・・35t フック (フック質量 1.07t)
1本掛・・・13.5t フック (フック質量 0.62t)

■ 40 m タワー



(単位 t)

タワー長さ(m)	40				タワー長さ(m)
タワージブ長さ(m)	33				タワージブ長さ(m)
タワー角(°)	90	80	70	60	タワー角(°)
作業半径(m)					作業半径(m)
9	11.0m x 27.0t				9
10	27.0				10
12	27.0				12
14	27.0				14
16	27.0				16
18	25.5				18
20	23.9	23.0m x 23.0t			20
22	22.5				22
24	21.1	22.5			24
26	19.5	20.4			26
28	17.8	18.6			28
30	16.2	17.1			30
32	14.5	15.8	34.6m x 14.0t		32
34	11.1	14.7			34
36	*35.0m x 8.9t	13.7	13.3		36
38		12.9	12.5		38
40		12.1	11.7		40
42		41.8m x 11.4t	11.0	45.2m x 9.8t	42
44		*42.8m x 10.0t	10.4	9.8	44
46			9.9	9.6	46
48			9.3	9.1	48
50			48.4m x 9.2t	8.6	50
52				8.2	52
54			*49.4m x 9.0t	7.8	54
56				54.6m x 7.7t	56
58				*55.6m x 7.5t	58

■ 43 m タワー



(単位 t)

タワー長さ(m)	43								タワー長さ(m)
タワージブ長さ(m)	27				30				タワージブ長さ(m)
タワー角(°)	90	80	70	60	90	80	70	60	タワー角(°)
作業半径(m)									作業半径(m)
8	9.7m x 27.0t								8
9	27.0				10.4m x 27.0t				9
10	27.0				27.0				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				27.0				16
18	27.0	21.3m x 24.5t			26.4				18
20	25.3	24.2			24.6	22.4m x 23.9t			20
22	23.3	23.1			22.9	23.1			22
24	21.3	21.0			21.3	23.1			24
26	19.1	19.2			19.6	20.9			26
28	15.3	17.7	32.5m x 15.5t		17.8	19.1			28
30	28.4m x 14.1t	16.3			15.2	17.6			30
32	*29.4m x 11.1t	15.2	14.7		31.2m x 12.4t	16.3	34.1m x 14.5t		32
34		14.2	13.7		*32.2m x 10.1t	15.1	13.6		34
36		36.5m x 13.9t	12.9			14.1	13.2		36
38		*37.5m x 12.2t	12.1	42.7m x 10.7t		13.2	12.7		38
40			11.4			39.4m x 12.6t	12.0		40
42			43.6m x 10.9t	10.3		11.3	44.7m x 10.0t		42
44			10.9t	9.8		*40.4m x 11.2t	10.6	9.6	44
46			*44.6m x 10.5t	9.3			10.1	9.1	46
48				8.8			46.5m x 9.9t	8.7	48
50				50.3m x 8.7t			9.7t	8.3	50
52				*51.3m x 8.5t				53.2m x 8.0t	52
54								8.0t	54
56								*54.2m x 7.8t	56
58									58

・注記は、44 ページに記載されています。

■ 43 m タワー



タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)	43								タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)
	33				36				
	90	80	70	60	90	80	70	60	
9	11.0m x 27.0t				11.7m x 27.0t				9
10	27.0				27.0				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				26.4				16
18	25.5				24.8				18
20	23.9	23.5m x 22.7t			23.3				20
22	22.5				21.8	24.6m x			22
24	21.1	22.5			20.4	21.6t			24
26	19.5	20.4			19.1	20.2			26
28	17.8	18.6			17.8	18.4			28
30	16.2	17.1			16.5	16.9			30
32	14.6	15.8	35.6m x		15.2	15.7			32
34	11.2	14.7	13.5t		13.9	14.5	37.2m x		34
36	*35.0m x	13.7	13.3		11.2	13.6	12.5t		36
38	9.0t	12.8	12.5		36.8m x	12.7	12.2		38
40		12.1	11.7		9.9t	11.9	11.4		40
42		11.4	11.0		*37.8m x	11.2	10.7		42
44		42.3m x	10.4	46.7m x	8.3t	10.6	10.1		44
46		11.3t	9.9	9.2t		45.2m x	9.6	48.7m x	46
48		*43.3m x	9.3	8.9		10.3t	9.1	8.6t	48
50		9.8t	49.4m x	8.5		*46.2m x	8.6	8.4	50
52			9.0t	8.0		9.1t	8.2	7.9	52
54			*50.4m x	7.7			52.3m x	7.6	54
56			8.8t	7.3			8.2t	7.2	56
58				56.1m x			*53.3m x	6.9	58
60				7.3t			8.0t	59.0m x	60
62				*57.1m x				6.7t	62
				7.1t				*60.0m x	
								6.6t	

■ 46 m タワー



タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)	46								タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)
	27				30				
	90	80	70	60	90	80	70	60	
8	9.7m x 27.0t				10.4m x 27.0t				8
9	27.0				27.0				9
10	27.0				27.0				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				27.0				16
18	27.0	21.8m x 24.3t			26.4				18
20	25.3	24.3t			24.6	22.9m x			20
22	23.3	24.2			22.9	23.7t			22
24	21.3	23.1			21.3	23.1			24
26	19.1	20.9			19.6	20.9			26
28	15.4	19.1			17.8	19.1			28
30	28.4m x	17.6	33.5m x		15.3	17.6			30
32	14.2t	16.3	14.8t		31.2m x	16.3	35.1m x		32
34	*29.4m x	15.1	14.6		12.5t	15.1	13.9t		34
36	11.2t	14.1	13.6		*32.2m x	14.1	13.5		36
38		37.0m x	12.7		10.2t	13.2	12.6		38
40		13.7t	12.0			39.9m x	11.8		40
42		*38.0m x	11.3	44.2m x		12.5t	11.1		42
44		12.5t	10.6	10.1t		*40.9m x	10.5	46.2m x	44
46			44.7m x	9.6		11.4t	10.0	9.5t	46
48			10.4t	9.1			47.6m x	9.1	48
50			*45.7m x	8.7			9.5t	8.6	50
52			10.1t	51.8m x			*48.6m x	8.2	52
54				8.3t			9.3t	7.8	54
56				*52.8m x				54.7m x	56
58				8.1t				7.7t	58
								*55.7m x	
								7.5t	

・注記は、44 ページに記載されています。

■ 46 m タワー



(単位 t)

タワー長さ(m)	46								タワー長さ(m)
タワージブ長さ(m)	33				36				タワージブ長さ(m)
タワー角(°)	90	80	70	60	90	80	70	60	タワー角(°)
作業半径(m)									作業半径(m)
9	11.0m x				11.7m x				9
10	27.0t				27.0t				10
12	27.0				27.0				12
14	27.0				27.0				14
16	27.0				26.4				16
18	25.5				24.8				18
20	23.9				23.3				20
22	22.5				21.8	25.2m x			22
24	21.1	22.5			20.4	20.9t			24
26	19.5	20.4			19.1	20.1			26
28	17.8	18.6			17.8	18.4			28
30	16.2	17.1			16.5	16.9			30
32	14.6	15.8			15.2	15.6			32
34	11.2	14.7	36.7m x		13.9	14.5			34
36	*35.0m x	13.7	12.9t		11.3	13.5	38.3m x		36
38	9.2t	12.8	12.3		36.8m x	12.7	12.0t		38
40		12.1	11.6		10.0t	11.9	11.4		40
42		11.4	10.9		*37.8m x	11.2	10.7		42
44		42.8m x	10.3		8.4t	10.6	10.1		44
46		11.1t	9.7	48.2m x		45.7m x	9.6		46
48		*43.8m x	9.2	8.8t		10.1t	9.1	50.2m x	48
50		10.1t	8.8	8.4		*46.7m x	8.6	8.3t	50
52			50.5m x	8.0		9.3t	8.2	7.9	52
54			8.7t	7.6			53.4m x	7.5	54
56			*51.5m x	7.2			7.9t	7.2	56
58			8.4t	57.6m x			*54.4m x	6.8	58
60				7.0t			7.7t	6.5	60
62				*58.6m x				60.5m x	62
64				6.8t				6.5t	64
								*61.5m x	
								6.3t	

(単位 t)

タワー長さ(m)	46				タワー長さ(m)
タワージブ長さ(m)	39				タワージブ長さ(m)
タワー角(°)	90	80	70	60	タワー角(°)
作業半径(m)					作業半径(m)
10	12.3m x				10
12	26.9t				12
14	26.4				14
16	24.9				16
18	23.5				18
20	22.1				20
22	20.8				22
24	19.6	26.3m x			24
26	18.4	19.3t			26
28	17.2	17.8			28
30	16.1	16.4			30
32	15.0	15.2			32
34	13.8	14.1			34
36	12.7	13.1	39.8m x		36
38	11.0	12.3	11.3t		38
40	39.7m x	11.5	11.3		40
42	8.7t	10.9	10.6		42
44	*40.7m x	10.2	10.0		44
46	7.4t	9.7	9.5		46
48		9.2	9.0		48
50		48.6m x	8.5	52.2m x	50
52		9.1t	8.1	7.7t	52
54		*49.6m x	7.7	7.4	54
56		8.2t	7.4	7.0	56
58			56.3m x	6.7	58
60			7.3t	6.4	60
62			*57.3m x	6.1	62
64			7.1t	63.4m x	64
66				5.9t	66
68				*64.4m x	68
				5.8t	

・注記は、44 ページに記載されています。

■ 49 m タワー



タワー長さ(m)		49								タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					27.0				16	
18	27.0					26.4				18	
20	25.3	22.3m x				24.6	23.4m x			20	
22	23.3	23.9t				22.9	23.4t			22	
24	21.3	23.0				21.3	23.1			24	
26	19.1	20.9				19.6	20.9			26	
28	15.5	19.1				17.8	19.1			28	
30	28.4m x	17.6				15.3	17.6			30	
32	14.3t	16.3	34.5m x			31.2m x	16.2			32	
34	*29.4m x	15.1	14.3t			12.5t	15.1	36.1m x		34	
36	11.3t	14.1	13.6			*32.2m x	14.1	13.3t		36	
38		37.5m x	12.7			10.2t	13.2	12.5		38	
40		13.4t	12.0				12.4	11.7		40	
42		*38.5m x	11.3	45.7m x			40.4m x	11.0		42	
44		12.8t	10.6	9.6t			12.2t	10.4	47.7m x	44	
46			45.7m x	9.5			*41.4m x	9.9	8.9t	46	
48			10.2t	9.0			11.2t	9.3	8.8	48	
50			*46.7m x	8.5				48.6m x	8.4	50	
52			9.9t	8.1				9.2t	8.0	52	
54				53.3m x				*49.6m x	7.6	54	
56				7.9t				9.0t	7.2	56	
58				*54.3m x					56.2m x	58	
60				7.7t					7.2t	60	
									*57.2m x		
									7.0t		

タワー長さ(m)		49								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
9	11.0m x					11.7m x				9	
10	27.0t					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	25.5					24.8				18	
20	23.9					23.3				20	
22	22.5	24.6m x				21.8	25.7m x			22	
24	21.1	21.8t				20.4	20.3t			24	
26	19.5	20.4				19.1	20.0			26	
28	17.8	18.6				17.8	18.3			28	
30	16.2	17.1				16.5	16.8			30	
32	14.6	15.8				15.2	15.5			32	
34	11.3	14.7	37.7m x			13.9	14.4			34	
36	*35.0m x	13.7	12.3t			11.3	13.5	39.3m x		36	
38	9.1t	12.8	12.2			36.8m x	12.6	11.7t		38	
40		12.1	11.5			10.0t	11.8	11.4		40	
42		11.4	10.8			*37.8m x	11.1	10.7		42	
44		43.3m x	10.2			8.4t	10.5	10.1		44	
46		10.9t	9.6	49.7m x			10.0	9.6		46	
48		*44.3m x	9.1	8.3t			46.2m x	9.1	51.7m x	48	
50		10.3t	8.7	8.2			9.9t	8.6	7.8t	50	
52			51.5m x	7.8			*47.2m x	8.2	7.8	52	
54			8.4t	7.5			9.1t	7.8	7.4	54	
56			*52.5m x	7.1				54.4m x	7.0	56	
58			8.1t	6.8				7.7t	6.7	58	
60				59.1m x				*55.4m x	6.4	60	
62				6.6t				7.6t	6.1	62	
64				*60.1m x					*63.0m x	64	
66				6.5t					6.0t	66	

・注記は、44 ページに記載されています。

■ 49 m タワー



タワー長さ(m)		39				42				タワー長さ(m)	
タワージブ長さ(m)		39				42				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	12.3m x					13.0m x				10	
12	26.9t					25.4t				12	
14	26.4					24.8				14	
16	24.9					23.4				16	
18	23.5					22.2				18	
20	22.1					21.0				20	
22	20.8					19.8				22	
24	19.6	26.8m x				18.7	27.9m x			24	
26	18.4	18.8t				17.6	17.4t			26	
28	17.2	17.8				16.6	17.3			28	
30	16.1	16.4				15.6	15.9			30	
32	15.0	15.1				14.6	14.7			32	
34	13.8	14.0				13.6	13.6			34	
36	12.7	13.1				12.6	12.7			36	
38	11.0	12.3	40.9m x			11.7	11.9			38	
40	39.7m x	11.5	11.0t			10.5	11.1	42.5m x		40	
42	8.8t	10.8	10.6			8.5	10.5	10.1t		42	
44	*40.7m x	10.2	10.0			42.5m x	9.9	9.7		44	
46	7.4t	9.7	9.4			7.9t	9.4	9.1		46	
48		9.2	8.9			*43.5m x	8.9	8.6		48	
50		49.1m x	8.5	53.7m x		6.7t	8.4	8.2		50	
52		8.9t	8.1	7.2t			8.0	7.8	55.8m x	52	
54		*50.1m x	7.7	7.2			*53.0m x	7.4	6.6t	54	
56		8.3t	7.3	6.8			7.6t	7.1	6.6	56	
58			57.3m x	6.5				6.7	6.3	58	
60			7.1t	6.2				6.5	6.0	60	
62			*58.3m x	5.9				60.2m x	5.7	62	
64			7.0t	5.7				6.4t	5.5	64	
66				64.9m x				*61.2m x	5.3	66	
68				5.6t				6.3t	67.8m x	68	
70				*65.9m x					5.1t	70	
72				5.5t					*68.8m x	72	
									5.0t		

■ 52 m タワー



タワー長さ(m)		27				30				タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					27.0				16	
18	27.0					26.4				18	
20	25.3	22.8m x				24.6				20	
22	23.3	23.6t				22.9				22	
24	21.3	23.0				21.3	23.0			24	
26	19.1	20.9				19.6	20.9			26	
28	15.6	19.1				17.8	19.1			28	
30	28.4m x	17.5				15.4	17.5			30	
32	14.3t	16.2	35.5m x			31.2m x	16.2			32	
34	*29.4m x	15.1	13.6t			12.6t	15.1	37.1m x		34	
36	11.2t	14.1	13.4			*32.2m x	14.1	12.7t		36	
38		13.2	12.5			10.3t	13.2	12.4		38	
40		38.1m x	11.7				12.4	11.6		40	
42		13.1t	11.1				41.0m x	10.9		42	
44		*39.1m x	10.4	47.2m x			12.0t	10.3		44	
46		12.0t	9.9	9.0t			*42.0m x	9.8	49.2m x	46	
48			46.7m x	8.9			11.2t	9.2	8.4t	48	
50			9.7t	8.4				49.6m x	8.2	50	
52			*47.7m x	8.0				8.9t	7.8	52	
54			9.4t	7.6				*50.6m x	7.5	54	
56				54.8m x				8.6t	7.1	56	
58				7.5t					57.7m x	58	
60				*55.8m x					6.8t	60	
62				7.3t					*58.7m x	62	
									6.7t		

・注記は、44 ページに記載されています。

■ 52 m タワー



タワー長さ(m)		52								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)		90	80	70	60	90	80	70	60	タワー角(°)	
作業半径(m)										作業半径(m)	
9	11.0m x					11.7m x				9	
10	27.0t					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	25.5					24.8				18	
20	23.9					23.3				20	
22	22.5	25.1m x				21.8				22	
24	21.1	21.3t				20.4	26.2m x			24	
26	19.5	20.4				19.1	19.9t			26	
28	17.8	18.6				17.8	18.3			28	
30	16.2	17.1				16.5	16.8			30	
32	14.6	15.8				15.2	15.6			32	
34	11.3	14.7				13.9	14.5			34	
36	*35.0m x	13.7	38.7m x			11.4	13.5			36	
38	9.3t	12.8	11.9t			36.8m x	12.6	40.3m x		38	
40		12.1	11.5			10.0t	11.9	11.3t		40	
42		11.4	10.8			*37.8m x	11.2	10.7		42	
44		43.8m x	10.2			8.4t	10.5	10.1		44	
46		10.8t	9.6				10.0	9.6		46	
48		*44.9m x	9.1	51.2m x			46.7m x	9.1		48	
50		10.3t	8.7	7.8t			9.8t	8.6	53.2m x	50	
52			8.2	7.7			*47.8m x	8.2	7.4t	52	
54			52.5m x	7.3			9.2t	7.8	7.2	54	
56			8.1t	7.0				55.4m x	6.9	56	
58			*53.5m x	6.6				7.5t	6.6	58	
60			7.9t	6.3				*56.4m x	6.3	60	
62				60.6m x				7.4t	6.0	62	
64				6.3t					63.5m x	64	
66				*61.6m x					5.8t	66	
68				6.1t					*64.5m x	68	
									5.7t		

タワー長さ(m)		52								タワー長さ(m)	
タワージブ長さ(m)		39				42				タワージブ長さ(m)	
タワー角(°)		90	80	70	60	90	80	70	60	タワー角(°)	
作業半径(m)										作業半径(m)	
10	12.3m x					13.0m x				10	
12	26.9t					25.4t				12	
14	26.4					24.8				14	
16	24.9					23.4				16	
18	23.5					22.2				18	
20	22.1					21.0				20	
22	20.8					19.8				22	
24	19.6	27.3m x				18.7				24	
26	18.4	18.3t				17.6	28.5m x			26	
28	17.2	17.8				16.6	16.9t			28	
30	16.1	16.3				15.6	15.8			30	
32	15.0	15.1				14.6	14.6			32	
34	13.8	14.0				13.6	13.6			34	
36	12.7	13.1				12.6	12.6			36	
38	11.0	12.2	41.9m x			11.7	11.8			38	
40	39.7m x	11.5	10.6t			10.6	11.1	43.5m x		40	
42	8.8t	10.8	10.6			8.5	10.4	9.7t		42	
44	*40.7m x	10.2	10.0			42.5m x	9.8	9.5		44	
46	7.4t	9.6	9.4			7.9t	9.3	9.0		46	
48		9.1	8.9			*43.5m x	8.8	8.5		48	
50		49.6m x	8.5			6.7t	8.4	8.1		50	
52		8.8t	8.0	55.2m x			8.0	7.7		52	
54		*50.7m x	7.7	6.7t			52.5m x	7.3	57.3m x	54	
56		8.3t	7.3	6.6			7.9t	7.0	6.1t	56	
58			7.0	6.3			*53.6m x	6.7	6.0	58	
60			58.3m x	6.0			7.4t	6.4	5.8	60	
62			6.9t	5.7				61.2m x	5.5	62	
64			*59.3m x	5.5				6.2t	5.3	64	
66			6.8t	5.3				*62.2m x	5.0	66	
68				66.4m x				6.1t	4.8	68	
70				5.2t					69.3m x	70	
72				*67.4m x					4.7t	72	
74				5.1t					*70.3m x	74	
									4.6t		

・注記は、44 ページに記載されています。

■ 52 m タワー



(単位 t)

タワー長さ(m)	52				タワー長さ(m)
タワージブ長さ(m)	45				タワージブ長さ(m)
タワー角(°)	90	80	70	60	タワー角(°)
作業半径(m)					作業半径(m)
10	13.6m x				10
12	21.3t				12
14	21.2				14
16	20.4				16
18	19.6				18
20	18.7				20
22	17.9				22
24	17.0				24
26	16.4	29.6m x			26
28	15.5	15.4t			28
30	14.8	15.2			30
32	14.0	14.0			32
34	13.2	13.0			34
36	12.4	12.1			36
38	11.6	11.3			38
40	10.8	10.6			40
42	10.0	10.0	45.1m x		42
44	8.4	9.4	8.9t		44
46	45.3m x	8.9	8.7		46
48	7.1t	8.4	8.2		48
50	*46.3m x	8.0	7.8		50
52	6.1t	7.6	7.4		52
54		7.3	7.0		54
56		55.4m x	6.7	59.3m x	56
58		7.0t	6.4	5.6t	58
60		*56.5m x	6.1	5.5	60
62		6.7t	5.8	5.2	62
64			5.6	5.0	64
66			64.1m x	4.8	66
68			5.6t	4.6	68
70			*65.1m x	4.4	70
72			5.5t	4.2	72
74				72.2m x	74
76				4.2t	76
				*73.2m x	
				4.1t	

・注記は、44 ページに記載されています。

■ 55 m タワー



タワー長さ(m)		55								タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	27.0					24.6				18	
20	25.3	23.4m x				24.6				20	
22	23.3	23.3t				22.9	24.5m x			22	
24	21.3	23.0				21.3	22.4t			24	
26	19.1	20.8				19.6	20.8			26	
28	15.6	19.0				17.8	19.0			28	
30	28.4m x	17.5				15.4	17.5			30	
32	14.4t	16.2				31.2m x	16.2			32	
34	*29.4m x	15.1	36.6m x			12.6t	15.0			34	
36	11.4t	14.1	13.0t			*32.2m x	14.0	38.2m x		36	
38		13.2	12.4			10.3t	13.1	12.2t		38	
40		38.6m x	11.7				12.3	11.5		40	
42		12.9t	11.0				41.5m x	10.9		42	
44		*39.6m x	10.4				11.8t	10.2		44	
46		12.4t	9.8	48.7m x			*42.5m x	9.7		46	
48			47.7m x	8.6t			11.4t	9.2	50.7m x	48	
50			9.4t	8.3				8.7	8.0t	50	
52			*48.8m x	7.9				50.6m x	7.8	52	
54			9.1t	7.5				8.6t	7.4	54	
56				7.2				*51.6m x	7.0	56	
58					56.3m x			8.4t	6.7	58	
60					7.1t				59.2m x	60	
62					*57.3m x				6.5t	62	
64					7.0t				*60.2m x	64	
									6.4t		

タワー長さ(m)		55								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
9	11.0m x					11.7m x				9	
10	27.0t					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	25.5					24.8				18	
20	23.9					23.3				20	
22	22.5	25.6m x				21.8				22	
24	21.1	20.8t				20.4	26.7m x			24	
26	19.5	20.4				19.1	19.4t			26	
28	17.8	18.6				17.8	18.3			28	
30	16.2	17.1				16.5	16.8			30	
32	14.6	15.8				15.2	15.6			32	
34	11.4	14.7				13.9	14.4			34	
36	*35.0m x	13.7	39.7m x			11.4	13.5			36	
38	9.2t	12.8	11.5t			36.8m x	12.6	41.3m x		38	
40		12.1	11.4			10.1t	11.8	10.9t		40	
42		11.4	10.7			*37.8m x	11.1	10.6		42	
44		10.7	10.1			8.5t	10.5	10.0		44	
46		44.4m x	9.6				10.0	9.5		46	
48		10.6t	9.1				47.3m x	9.0		48	
50		*45.4m x	8.6	52.7m x			9.6t	8.5		50	
52		10.0t	8.2	7.4t			*48.3m x	8.1	54.7m x	52	
54			53.5m x	7.2			9.3t	7.7	7.0t	54	
56			7.9t	6.9				7.4	6.8	56	
58			*54.5m x	6.5				56.4m x	6.5	58	
60			7.7t	6.3				7.3t	6.2	60	
62				6.0				*57.4m x	5.9	62	
64				62.1m x				7.1t	5.6	64	
66				6.0t					65.0m x	66	
68				*63.1m x					5.5t	68	
				5.8t					*66.0m x		
									5.4t		

・注記は、44 ページに記載されています。

■ 55 m タワー



		55				42				(単位 t)	
タワー長さ(m)	タワージブ長さ(m)									タワー長さ(m)	タワージブ長さ(m)
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	12.3m x					13.0m x				10	
12	26.9t					25.4t				12	
14	26.4					24.8				14	
16	24.9					23.4				16	
18	23.5					22.2				18	
20	22.1					21.0				20	
22	20.8					19.8				22	
24	19.6	27.9m x				18.7				24	
26	18.4	17.8t				17.6	29.0m x			26	
28	17.2	17.8				16.6	16.5t			28	
30	16.1	16.3				15.6	15.8			30	
32	15.0	15.1				14.6	14.6			32	
34	13.8	14.0				13.6	13.5			34	
36	12.7	13.0				12.6	12.6			36	
38	11.1	12.2				11.7	11.8			38	
40	39.7m x	11.5	42.9m x			10.6	11.0			40	
42	8.9t	10.8	10.2t			8.6	10.4	44.5m x		42	
44	*40.7m x	10.2	9.9			42.5m x	9.8	9.4t		44	
46	7.5t	9.6	9.3			8.0t	9.3	9.0		46	
48		9.1	8.8			*43.5m x	8.8	8.5		48	
50		8.7	8.4			6.8t	8.3	8.1		50	
52		50.2m x	8.0			7.9	7.7			52	
54		8.6t	7.6	56.7m x		53.1m x	7.3			54	
56		*51.2m x	7.2	6.5t		7.7t	7.0	58.8m x		56	
58		8.2t	6.9	6.3		*54.1m x	6.6	5.9t		58	
60			59.3m x	6.0		7.5t	6.4	5.7		60	
62			6.7t	5.7			6.1	5.5		62	
64			*60.3m x	5.5			62.2m x	5.2		64	
66			6.6t	5.3			6.1t	5.0		66	
68				67.9m x			*63.2m x	4.8		68	
70				5.0t			5.9t	4.6		70	
72				*68.9m x				70.8m x		72	
74				4.9t				4.5t		74	
								*71.8m x			
								4.4t			

• 注記は、44 ページに記載されています。

■ 55 m タワー



		55				48				(単位 t)	
タワー長さ(m)	タワージブ長さ(m)									タワー長さ(m)	タワージブ長さ(m)
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	13.6m x									10	
12	21.1t					14.3m x				12	
14						19.4t				14	
16	20.2					18.7				16	
18	19.3					17.8				18	
20	18.5					16.9				20	
22	17.7					16.1				22	
24	16.9					15.4				24	
26	16.0					14.6				26	
28	15.2					13.9				28	
30	14.4	30.1m x				13.2	31.2m x			30	
32	13.7	15.0t				12.5	13.5t			32	
34	12.9	13.9				11.9	13.1			34	
36	12.2	12.9				11.2	12.2			36	
38	11.5	12.0				10.6	11.3			38	
40	10.7	11.2				10.0	10.6			40	
42	10.0	10.5				9.3	9.9			42	
44	8.4	9.9				8.7	9.3			44	
46	45.3m x	9.3	46.1m x			8.0	8.8	47.7m x		46	
48	7.1t	8.8	8.6t			6.5	8.3	7.9t		48	
50	*46.3m x	8.3	8.1			6.4	7.9	7.8		50	
52	6.1t	7.9	7.7			5.4	7.5	7.4		52	
54		7.5	7.3				7.1	7.0		54	
56		7.2	7.0			*49.1m x	6.7	6.7		56	
58		6.8	6.6			5.4t	6.4	6.4		58	
60		*57.0m x	6.3	60.8m x			6.1	6.1		60	
62		6.7t	6.0	5.5t			58.9m x	5.8	62.8m x	62	
64			5.8	5.3			6.0t	5.5	5.0t	64	
66			5.5	5.1			*59.9m x	5.3	4.8	66	
68			65.1m x	4.8			5.9t	5.1	4.6	68	
70			5.4t	4.6				4.9	4.4	70	
72			*66.1m x	4.4				*69.0m x	4.2	72	
74			5.3t	4.3				4.8t	4.0	74	
76				73.7m x					3.9	76	
78				4.1t					3.7	78	
80				*74.7m x					76.6m x	80	
				4.0t					3.7t		
									*77.6m x		
									3.6t		

・注記は、44 ページに記載されています。

■ 58 m タワー



タワー長さ(m)		58								タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)		90	80	70	60	90	80	70	60	タワー角(°)	
作業半径(m)										作業半径(m)	
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	27.0					24.6				18	
20	25.3	23.9m x				24.6				20	
22	23.3	23.0t				22.9	25.0m x			22	
24	21.3	23.0				21.3	21.8t			24	
26	19.1	20.8				19.6	20.8			26	
28	15.7	19.0				17.8	19.0			28	
30	28.4m x	17.5				15.5	17.5			30	
32	14.4t	16.2				31.2m x	16.1			32	
34	*29.4m x	15.0	37.6m x			12.6t	15.0			34	
36	11.3t	14.0	12.6t			*32.2m x	14.0	39.2m x		36	
38		13.1	12.4			10.3t	13.1	11.8t		38	
40		39.1m x	11.6				12.3	11.5		40	
42		12.7t	11.0				11.6	10.8		42	
44		*40.1m x	10.3				*43.0m x	10.2		44	
46		12.3t	9.8				11.2t	9.6		46	
48			9.3	50.2m x				9.1		48	
50			48.8m x	8.1t				8.7	52.2m x	50	
52			9.1t	7.7				51.7m x	7.5t	52	
54			*49.8m x	7.3				8.3t	7.2	54	
56			8.8t	7.0				*52.7m x	6.8	56	
58				57.8m x				8.1t	6.5	58	
60				6.7t					6.2	60	
62				*58.8m x					60.7m x	62	
64				6.5t					6.1t	64	
									*61.7m x		64
									6.0t		

タワー長さ(m)		58								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)		90	80	70	60	90	80	70	60	タワー角(°)	
作業半径(m)										作業半径(m)	
9	11.0m x					11.7m x				9	
10	27.0t					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					26.4				16	
18	25.5					24.8				18	
20	23.9					23.3				20	
22	22.5					21.8				22	
24	21.1	26.1m x				20.4	27.3m x			24	
26	19.5	20.3t				19.1	18.9t			26	
28	17.8	18.6				17.8	18.3			28	
30	16.2	17.1				16.5	16.8			30	
32	14.6	15.8				15.2	15.6			32	
34	11.4	14.7				13.9	14.5			34	
36	*35.0m x	13.7				11.4	13.5			36	
38	9.4t	12.8	40.8m x			36.8m x	12.6			38	
40		12.0	11.0t			10.1t	11.8	42.4m x		40	
42		11.3	10.7			*37.8m x	11.1	10.4t		42	
44		10.7	10.0			8.5t	10.5	10.0		44	
46		44.9m x	9.5				10.0	9.4		46	
48		10.4t	9.0				47.8m x	8.9		48	
50		*45.9m x	8.5				9.5t	8.5		50	
52		10.1t	8.1	54.2m x			*48.8m x	8.0		52	
54			7.7	7.0t			9.2t	7.7	56.2m x	54	
56				6.7				7.3	6.5t	56	
58				7.6t	6.3			57.5m x	6.3	58	
60				*55.6m x	6.1			7.1t	6.0	60	
62				7.4t	5.8			*58.5m x	5.7	62	
64					63.6m x			6.9t	5.5	64	
66					5.6t				5.2	66	
68					*64.6m x				66.5m x	68	
70					5.5t				5.2t	70	
									*67.5m x		
									5.1t		

・注記は、44 ページに記載されています。

■ 58 m タワー



タワー長さ(m)		58								タワー長さ(m)	
タワージブ長さ(m)		39				42				タワージブ長さ(m)	
タワー角(°)		90	80	70	60	90	80	70	60	タワー角(°)	
作業半径(m)										作業半径(m)	
10	12.3m x					13.0m x					10
12	26.9t					25.4t					12
14	26.4					24.8					14
16	24.9					23.4					16
18	23.5					22.2					18
20	22.1					21.0					20
22	20.8					19.8					22
24	19.6					18.7					24
26	18.4					17.6					26
28	17.2	28.4m x				16.6	29.5m x				28
30	16.1	17.4t				15.6	16.1t				30
32	15.0	16.3				14.6	15.7				32
34	13.8	15.0				13.6	14.5				34
36	12.7	13.9				12.6	13.5				36
38	11.1	12.7				11.7	12.5				38
40		12.2				10.6	11.7				40
42	39.7m x	11.4				8.6	11.0				42
44	8.9t	10.7				10.4	45.5m x				44
46	*40.7m x	10.1	9.8			9.8	9.2t				46
48	7.5t	9.6	9.3			8.0t	9.0				48
50		9.1	8.8			*43.5m x	8.7	8.6			50
52		8.6	8.3			6.8t	8.3	8.1			52
54		50.7m x	7.9			7.9	7.7				54
56		8.5t	7.5			53.6m x	7.3				56
58		*51.7m x	7.2	58.2m x		7.6t	7.0				58
60		8.3t	6.8	6.1t		*54.6m x	6.6	60.3m x			60
62			6.5	5.8		7.4t	6.3	5.5t			62
64			60.4m x	5.5			6.1	5.3			64
66			6.5t	5.3			63.3m x	5.0			66
68			*61.4m x	5.1			5.9t	4.8			68
70			6.3t	4.9			*64.3m x	4.6			70
72				69.4m x			5.8t	4.4			72
74				4.7t				4.2			74
76				*70.4m x				72.3m x			76
				4.6t				4.2t			
								*73.3m x			
								4.1t			

・注記は、44 ページに記載されています。

■ 58 m タワー



		58				48				(単位 t)	
タワー長さ(m)	タワージブ長さ(m)									タワー長さ(m)	タワージブ長さ(m)
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	13.6m x									10	
12	20.8t					14.3m x				12	
14						18.8t				14	
16	19.8					18.1				16	
18	19.2					17.3				18	
20	18.4					16.5				20	
22	17.6					15.8				22	
24	16.8					15.1				24	
26	16.0					14.4				26	
28	15.2					13.8				28	
30	14.4	30.6m x				13.1	31.7m x			30	
32	13.7	14.6t				12.5	13.1t			32	
34	12.9					11.9	13.0			34	
36	12.2	13.8				11.2	12.0			36	
38	11.5	12.8				10.6	11.2			38	
40	10.7	11.9				10.0	10.5			40	
42	10.0	10.5				9.3	9.8			42	
44	8.4	9.8				8.7	9.2			44	
46	45.3m x	9.3	47.1m x			8.0	8.7	48.7m x		46	
48	7.1t	8.8	8.4t			6.5	8.2	7.7t		48	
50	*46.3m x	8.3	8.2			48.1m x	7.8	7.4		50	
52	6.1t	7.9	7.7			6.4t	7.4	7.1		52	
54		7.5	7.3			*49.1m x	7.0	6.7		54	
56		7.1	7.0			5.4t	6.7	6.4		56	
58		6.8	6.6				6.4	6.1		58	
60		56.5m x	6.3		62.3m x		6.1	6.1		60	
62		6.7t	6.0		5.1t		59.4m x	5.8		62	
64		*57.5m x	5.8		4.9		5.9t	5.5	64.3m x	64	
66		6.6t	5.5		4.7		*60.4m x	5.3	4.6t	66	
68			5.3		4.4		5.8t	5.1	4.4	68	
70			66.2m x		4.4			4.9	4.2	70	
72			5.3t		4.3			69.0m x	4.0	72	
74			*67.2m x		4.1			4.8t	3.8	74	
76			5.2t		3.9			*70.1m x	3.7	76	
78					75.2m x			4.6t	3.5	78	
80					3.8t				3.4	80	
82					*76.2m x				78.1m x	82	
					3.7t				3.4t		
									*79.1m x		
									3.3t		

・注記は、44 ページに記載されています。

■ 58 m タワー



(単位 t)

タワー長さ(m)	58			タワー長さ(m)
タワージブ長さ(m)	51			タワージブ長さ(m)
タワー角(°)	90	80	70	タワー角(°)
作業半径(m)				作業半径(m)
12	14.9m x			12
14	17.8t			14
16	17.4			16
18	16.6			18
20	15.9			20
22	15.2			22
24	14.5			24
26	13.9			26
28	13.3			28
30	12.7	32.9m x		30
32	12.1	12.4t		32
34	11.6	11.9		34
36	11.0	11.1		36
38	10.5	10.4		38
40	9.9	9.7		40
42	9.3	9.1		42
44	8.8	8.6		44
46	8.3	8.1		46
48	7.7	7.7	50.3m x	48
50	6.3	7.3	7.2t	50
52	50.9m x	6.9	6.9	52
54	5.6t	6.6	6.5	54
56	*51.9m x	6.3	6.2	56
58	4.8t	6.0	5.9	58
60		5.7	5.6	60
62		5.5	5.3	62
64		62.3m x	5.1	64
66		5.4t	4.9	66
68		*63.3m x	4.7	68
70		5.3t	4.5	70
72			71.9m x	72
74			4.3t	74
76			*73.0m x	76
			4.2t	

・注記は、44 ページに記載されています。

■ 61 m タワー



タワー長さ(m)		61								タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					27.0				14	
16	27.0					27.0				16	
18	26.0					25.4				18	
20	24.1					23.6				20	
22	22.4	24.4m x				22.1	25.5m x			22	
24	20.4	22.4t				20.5	21.3t			24	
26	18.3	20.8				18.9	20.8			26	
28	15.6	19.0				17.2	19.0			28	
30	28.4m x	17.5				15.1	17.4			30	
32	14.4t	16.1				31.2m x	16.1			32	
34	*29.4m x	15.0				12.5t	15.0			34	
36	11.5t	14.0	38.6m x			*32.2m x	14.0			36	
38		13.1	12.2t			10.4t	13.1	40.2m x		38	
40		39.6m x	11.7				12.3	11.4t		40	
42		12.4t	11.0				11.6	10.8		42	
44		*40.6m x	10.4				42.5m x	10.2		44	
46		12.0t	9.8				11.4t	9.7		46	
48			9.3	51.7m x			*43.5m x	9.2		48	
50			49.8m x	7.5t			11.1t	8.7	53.7m x	50	
52			8.9t	7.5				8.3	7.0t	52	
54			*50.8m x	7.1				52.7m x	6.9	54	
56			8.6t	6.8				8.1t	6.6	56	
58				6.5				*53.7m x	6.3	58	
60				59.3m x				7.9t	6.0	60	
62				6.3t					5.7	62	
64				*60.3m x					62.2m x	64	
66				6.1t					5.7t	66	
									*63.2m x		
									5.6t		

タワー長さ(m)		61								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
9	11.0m x					11.7m x				9	
10	27.0t					26.9t				10	
12	27.0					26.8				12	
14	27.0					26.0				14	
16	26.0					25.2				16	
18	24.3					23.8				18	
20	22.8					22.4				20	
22	21.4					21.1				22	
24	20.1	26.6m x				19.9	27.8m x			24	
26	18.8	19.8t				18.8	18.4t			26	
28	17.4	18.6				17.6	18.2			28	
30	16.0	17.1				16.5	16.7			30	
32	14.3	15.8				15.2	15.5			32	
34	11.4	14.7				13.9	14.4			34	
36	*35.0m x	13.7				11.5	13.4			36	
38	9.4t	12.8	41.8m x			36.8m x	12.5			38	
40		12.0	10.7t			10.1t	11.8	43.4m x		40	
42		11.3	10.7			*37.8m x	11.1	10.2t		42	
44		10.7	10.1			8.5t	10.5	10.0		44	
46		45.4m x	9.5				9.9	9.4		46	
48		10.3t	9.0				9.4	8.9		48	
50		*46.4m x	8.5				48.3m x	8.5		50	
52		10.0t	8.1	55.7m x			9.3t	8.0		52	
54			7.7	6.5t			*49.3m x	7.7	57.7m x	54	
56			55.6m x	6.4			9.1t	7.3	6.1t	56	
58			7.4t	6.1				7.0	6.0	58	
60			*56.6m x	5.8				58.5m x	5.8	60	
62			7.3t	5.6				6.9t	5.5	62	
64				5.3				*59.5m x	5.3	64	
66				65.1m x				6.7t	5.0	66	
68				5.2t					4.8	68	
70				*66.1m x					*69.0m x	70	
72				5.1t					4.7t	72	

・注記は、44 ページに記載されています。

■ 61 m タワー



タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)	61				42				タワー長さ(m) タワージブ長さ(m) タワー角(°) 作業半径(m)
	90	80	70	60	90	80	70	60	
10	12.3m x				13.0m x				10
12	25.0t				23.4t				12
14	24.5				23.1				14
16	24.0				22.6				16
18	22.9				21.6				18
20	21.6				20.4				20
22	20.4				19.3				22
24	19.3				18.3				24
26	18.3	28.9m x			17.4				26
28	17.2	16.9t			16.5				28
30	16.1	16.2			15.6	15.6			30
32	15.0	14.9			14.6	14.4			32
34	13.8	13.9			13.6	13.4			34
36	12.7	12.9			12.6	12.5			36
38	11.1	12.1			11.7	11.7			38
40	39.7m x	11.3			10.6	10.9			40
42	8.9t	10.7	45.0m x		8.6	10.3			42
44	*40.7m x	10.1	9.5t		42.5m x	9.7	46.6m x		44
46	7.5t	9.5	9.3		8.0t	9.2	8.9t		46
48		9.0	8.8		*43.5m x	8.7	8.5		48
50		8.6	8.3		6.8t	8.2	8.1		50
52		51.2m x	7.9			7.8	7.7		52
54		8.3t	7.5			7.5	7.3		54
56		*52.2m x	7.2	59.7m x		54.1m x	7.0		56
58		8.1t	6.8	5.6t		7.5t	6.6	61.8m x	58
60			6.5	5.6		*55.1m x	6.3	5.2t	60
62			61.4m x	5.3		7.3t	6.0	5.2	62
64			6.3t	5.1			5.8	4.9	64
66			*62.4m x	4.9			64.3m x	4.7	66
68			6.2t	4.7			5.8t	4.5	68
70				4.5			*65.3m x	4.3	70
72				70.9m x			5.6t	4.1	72
74				4.4t				73.8m x	74
76				*71.9m x				3.9t	76
78				4.3t				*74.8m x	78
								3.8t	

・注記は、44 ページに記載されています。

■ 61 m タワー



タワー長さ(m)		61								タワー長さ(m)	
タワージブ長さ(m)		45				48				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	13.6m x									10	
12	20.6t					14.3m x				12	
14						18.2t				14	
16	19.6					17.6				16	
18	18.9					16.7				18	
20	18.2					16.1				20	
22	17.5					15.5				22	
24	16.8					14.8				24	
26	15.9					14.2				26	
28	15.1					13.5				28	
30	14.4	31.1m x				13.0	32.3m x			30	
32	13.7	14.2t				12.4	12.7t			32	
34	12.9	13.7				11.7	11.9			34	
36	12.2	12.7				10.9	11.1			36	
38	11.5	11.9				10.4	10.3			38	
40	10.7	11.1				9.9	9.7			40	
42	9.9	10.4				9.3	9.1			42	
44	8.4	9.8				8.7	8.6			44	
46	45.3m x	8.7	48.2m x			8.0	8.1	49.7m x		46	
48	7.1t	8.2	8.1t			6.5	7.7	7.5t		48	
50	*46.3m x	7.8	7.7			48.1m x	7.3	7.4		50	
52	6.1t	7.4	7.3			6.4t	6.9	7.0		52	
54		7.1	7.0			*49.1m x	6.6	6.7		54	
56		6.8	6.6			5.4t	6.3	6.4		56	
58		57.0m x	6.3				6.0	6.1		58	
60		6.6t	6.0	63.8m x			59.9m x	5.8		60	
62		*58.0m x	5.8	4.6t			5.7t	5.5	65.8m x	62	
64		6.5t	5.5	4.6			*60.9m x	5.3	3.9t	64	
66			5.3	4.4			5.6t	5.0	3.9	66	
68			67.2m x	4.2				4.8	3.7	68	
70			5.1t	4.0				4.6	3.6	70	
72			*68.2m x	3.8				70.1m x	3.4	72	
74			5.0t	3.7				4.6t	3.2	74	
76				3.5				*71.1m x	3.1	76	
78				76.7m x				4.5t	3.0	78	
80				3.5t					79.6m x	80	
82				*77.7m x					2.9t	82	
84				3.4t					*80.6m x	84	
									2.8t		

・注記は、44 ページに記載されています。

■ 61 m タワー



(単位 t)

タワー長さ(m)	61			タワー長さ(m)
タワージブ長さ(m)	51			タワージブ長さ(m)
タワー角(°)	90	80	70	タワー角(°)
作業半径(m)				作業半径(m)
12	14.9m x			12
14	16.9t			14
16	16.5			16
18	15.8			18
20	15.1			20
22	14.4			22
24	13.8			24
26	13.2			26
28	12.7			28
30	12.1	33.4m x		30
32	11.6	11.9t		32
34	11.1	11.8		34
36	10.6	11.0		36
38	10.1	10.2		38
40	9.6	9.6		40
42	9.1	9.0		42
44	8.6	8.5		44
46	8.1	8.0		46
48	7.4	7.6	51.3m x	48
50	6.3	7.2	6.8t	50
52	50.9m x	6.8	6.8	52
54	5.6t	6.5	6.4	54
56	*51.9m x	6.2	6.1	56
58	4.8t	5.9	5.8	58
60		5.6	5.5	60
62		5.4	5.3	62
64		62.8m x	5.0	64
66		5.3t	4.8	66
68		*63.8m x	4.6	68
70		5.2t	4.4	70
72			4.2	72
74			73.0m x	74
76			4.1t	76
			*74.0m x	
			4.1t	

・注記は、44 ページに記載されています。

■ 64 m タワー



タワー長さ(m)		64								タワー長さ(m)	
タワージブ長さ(m)		27				30				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
8	9.7m x									8	
9	27.0t					10.4m x				9	
10	27.0					27.0t				10	
12	27.0					27.0				12	
14	27.0					26.4				14	
16	27.0					25.8				16	
18	26.0					24.6				18	
20	24.3					23.1				20	
22	22.5		24.9m x			21.6				22	
24	20.7		21.9t			20.1				24	
26	18.7		20.7			18.6	20.2			26	
28	15.7		19.0			17.0	19.0			28	
30	28.4m x		17.4			15.1	17.4			30	
32	14.5t		16.1			31.2m x	16.1			32	
34	*29.4m x		15.0			12.5t	15.0			34	
36	11.5t		14.0	39.6m x		*32.2m x	14.0			36	
38			13.1	11.8t		10.4t	13.1	41.2m x		38	
40			12.2	11.6			12.3	11.1t		40	
42			40.1m x	11.0			11.6	10.8		42	
44			12.1t	10.3			43.0m x	10.2		44	
46			*41.1m x	9.8			10.8t	9.6		46	
48			11.1t	9.3			*44.0m x	9.1		48	
50				8.8	53.2m x		10.0t	8.6		50	
52				50.8m x	6.8t			8.2	55.2m x	52	
54				8.6t	6.6			53.7m x	6.1t	54	
56				*51.8m x	6.3			7.9t	6.0	56	
58				8.4t	6.0			*54.7m x	5.7	58	
60					5.7			7.7t	5.5	60	
62					60.8m x				5.2	62	
64					5.6t				63.7m x	64	
66					*61.8m x				5.0t	66	
68					5.5t				*64.7m x	68	
									4.9t		

タワー長さ(m)		64								タワー長さ(m)	
タワージブ長さ(m)		33				36				タワージブ長さ(m)	
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
9	11.0m x					11.7m x				9	
10	25.8t					24.1t				10	
12	25.4					24.0				12	
14	24.7					23.3				14	
16	24.2					22.8				16	
18	23.7					22.3				18	
20	22.3					21.8				20	
22	21.0					20.6				22	
24	19.8		27.2m x			19.5				24	
26	18.5		18.4t			18.5	28.3m x			26	
28	17.3		18.0			17.4	16.9t			28	
30	15.9		17.0			16.3	16.2			30	
32	14.4		15.7			15.2	15.5			32	
34	11.5		14.6			14.0	14.3			34	
36	*35.0m x		13.6			11.5	13.4			36	
38	9.3t		12.7			36.8m x	12.5			38	
40			11.9	42.8m x		10.1t	11.7			40	
42			11.2	10.4t		*37.8m x	11.1	44.4m x		42	
44			10.6	10.0		8.5t	10.4	9.8t		44	
46			45.9m x	9.5			9.9	9.4		46	
48			9.7t	9.0			9.4	8.9		48	
50			*46.9m x	8.5			48.8m x	8.4		50	
52			9.2t	8.1			8.8t	8.0		52	
54				7.7	57.2m x		*49.8m x	7.6		54	
56				7.3	5.6t		8.0t	7.3	59.2m x	56	
58				56.6m x	5.5			6.9	5.0t	58	
60				7.2t	5.2			59.5m x	4.9	60	
62				*57.6m x	5.0			6.7t	4.7	62	
64				7.0t	4.7			*60.5m x	4.5	64	
66					4.5			6.5t	4.3	66	
68					66.6m x				4.1	68	
70					4.5t				69.5m x	70	
72					*67.6m x				4.0t	72	
74					4.4t				*70.5m x	74	
									3.9t		

・注記は、44 ページに記載されています。

■ 64 m タワー



		64								(単位 t)	
タワー長さ(m)	タワージブ長さ(m)	39				42				タワー長さ(m)	タワージブ長さ(m)
タワー角(°)	作業半径(m)	90	80	70	60	90	80	70	60	タワー角(°)	作業半径(m)
10	12.3m x					13.0m x				10	
12	22.5t					20.9t				12	
14	22.0					20.7				14	
16	21.4					20.2				16	
18	21.0					19.7				18	
20	20.6					19.3				20	
22	19.5					18.4				22	
24	18.5					17.5				24	
26	17.5					16.6				26	
28	16.6	29.4m x				15.8				28	
30	15.7	15.4t				15.0	30.5m x			30	
32	14.8	15.2				14.2	14.0t			32	
34	13.8	14.5				13.5	13.5			34	
36	12.7	13.8				12.6	13.0			36	
38	11.1	12.8				11.7	12.2			38	
40		12.0				10.6	11.4			40	
42	39.7m x	11.3				10.6	10.7			42	
44	8.9t	10.6				8.6	10.0			44	
46	*40.7m x	10.0				42.5m x	9.5	47.6m x		46	
48	7.5t	9.5	9.2			8.0t	8.9	8.2t		48	
50		9.0	8.7			*43.5m x	8.5	8.2		50	
52		8.5	8.3			6.8t	8.0	8.0		52	
54		51.7m x	7.8				7.6	7.7		54	
56		7.8t	7.5				7.3	7.3		56	
58		*52.7m x	7.1				54.6m x	7.0		58	
60		7.3t	6.8	61.2m x			7.0t	6.6		60	
62			6.5	4.6t			*55.6m x	6.3	63.3m x	62	
64			6.2	4.5			6.5t	6.0	4.0t	64	
66			62.4m x	4.3				5.8	4.0	66	
68			6.1t	4.1				65.3m x	3.8	68	
70			*63.4m x	3.9				5.6t	3.6	70	
72			6.0t	3.7				*66.3m x	3.4	72	
74				3.6				5.5t	3.3	74	
76				72.4m x					3.1	76	
78				3.5t					75.3m x	78	
80				*73.4m x					3.1t	80	
				3.5t					*76.3m x		
									3.0t		

・注記は、44 ページに記載されています。

■ 64 m タワー



		64						
タワー長さ(m)						タワー長さ(m)		
タワージブ長さ(m)						タワージブ長さ(m)		
タワー角(°)	90	80	70	90	80	70	タワー角(°)	
作業半径(m)						作業半径(m)		
10	13.6m x						10	
12	19.7t			14.3m x			12	
14	19.6			17.3t			14	
16	18.9			16.8			16	
18	18.2			16.2			18	
20	17.5			15.6			20	
22	16.7			15.0			22	
24	16.0			14.4			24	
26	15.2			13.8			26	
28	14.4			13.1			28	
30	13.7	31.7m x		12.5	32.8m x		30	
32	13.0	12.7		11.8	11.6t		32	
34	12.3	12.1		11.2	11.3		34	
36	11.6	11.6		10.6	10.8		36	
38	10.9	10.8		10.0	10.2		38	
40	10.2	10.1		9.4	9.6		40	
42	9.4	9.5		8.8	9.0		42	
44	8.4	9.0		8.1	8.5		44	
46	45.3m x	8.5	49.2m x	7.4	8.0		46	
48	7.1t	8.0	7.3t	6.5	7.6	50.8m x	48	
50	*46.3m x	7.6	7.2	48.1m x	7.2	6.4t	50	
52	6.1t	7.2	7.1	6.4t	6.8	6.3	52	
54		6.9	6.9	*49.1m x	6.5	6.2	54	
56		6.6	6.6	5.4t	6.2	6.0	56	
58		57.5m x	6.3		5.9	5.9	58	
60		6.3t	6.0		5.6	5.7	60	
62		*58.5m x	5.7		60.4m x	5.5	62	
64		6.1t	5.5		5.5t	5.3	64	
66			5.3		*61.4m x	5.0	66	
68			5.0		5.2t	4.8	68	
70			68.2m x			4.6	70	
72			5.0t			71.1m x	72	
74			*69.2m x			4.4t	74	
76			4.9t			*72.1m x	76	
						4.2t		

		64				
タワー長さ(m)				タワー長さ(m)		
タワージブ長さ(m)				タワージブ長さ(m)		
タワー角(°)	90	80	70	タワー角(°)		
作業半径(m)				作業半径(m)		
12	14.9m x			12		
14	16.0t			14		
16	15.6			16		
18	14.9			18		
20	14.3			20		
22	13.6			22		
24	13.1			24		
26	12.5			26		
28	12.1			28		
30	11.5	33.9m x		30		
32	10.9	10.4t		32		
34	10.4	10.4		34		
36	9.8	10.0		36		
38	9.3	9.6		38		
40	8.8	9.2		40		
42	8.3	8.7		42		
44	7.7	8.2		44		
46	7.2	7.7		46		
48	6.5	7.3		48		
50	5.8	6.9	52.4m x	50		
52	50.9m x	6.6	5.6t	52		
54	5.3t	6.2	5.5	54		
56	*51.9m x	5.9	5.3	56		
58	4.8t	5.7	5.2	58		
60		5.4	5.1	60		
62		5.2	5.0	62		
64		63.3m x	4.8	64		
66		4.8t	4.6	66		
68		*64.3m x	4.4	68		
70		4.4t	4.2	70		
72			4.0	72		
74			3.8	74		
76			*75.0m x	76		
78			3.7t	78		

・注記は、44 ページに記載されています。